





LADIES AND GENTLEMEN

When choosing WIKĘD doors, You receive a certainty of long-term security and a guarantee of the highest manufacturing quality. In the production of our doors we use only proven technologies and the best materials. Combined with state-of-the-art machinery, constantly introduced upgrades and close tracking of all the newest trends as well as their creation allows our company to fit into tastes and needs of the most demanding clients.

Since the day of it's establishment, in 2002, the WIKĘD company was awarded with numerous, prestigious awards, including multiple titles of Business Gazelle and Forbes Diamonds from Forbes Poland.

We are grateful for the trust and confidence placed in our company and motivation for further advancement. This catalogue illustrates a number of innovations, about which You can receive more informations in our many outlets.

ENJOY THE READ

IMPORTANT INFORMATION

Due to technical limitations of printing and technology of glazing manufacture, designs and colours can differ from actual, finished product. All pictures are for illustrative purposes only. Due to the nature of the technology used, the outline of the construction elements might be visible on the circumference of the door leaf. Applies mainly to dark colors and doors painted in RAL palette. All embossing is shallow embossing. Dark coloured doors should not be installed in places of long-term and direct sunlight. Doors installed as exterior entry doors in places subjected to direct adverse weather conditions (rain, wind, etc.) should be outswing (opened outside). Roofing required in case of doors installed as exterior entry doors.

TO THE NEW
OPEN UP

EXPLORE WIKED DOORS

DETERMINING DOOR SWING ORIENTATION

RIGHT HAND DOOR — If the hinges are on the right side when you walk through it, it is a right-hand door.

Interior of the house

Left Hand Inswing, opens inward

Left Hand Outswing, opens outward

LEFT HAND DOOR — If the hinges are on the left side when you walk through a door, it is a left-hand door.

Interior of the house

Right Hand Outswing, opens outward

Right Hand Inswing, opens inward





CONSTRUCTION OF DOORS

TERMO PRESTIGE LUX

OPTIMUM

PREMIUM

NORMAL







TERMO PRESTIGE LUX LEAF PROFILE

OPTIMUM LEAF PROFILE

PREMIUM LEAF PROFILE

NORMAL LEAF PROFILE



A GOOD DOOR IS NOT JUST MODERN DESIGN. EXPLORE THE TRAITS OF A GOOD DOOR!



DOOR LEAF FILLED WITH PUR FOAM GLUED LAMINATED TIMBER INNER FRAME

The stability and longevity of our doors is not an accident. Above all, it is an appropriately designed construction supported by thought through technological process as well as high quality components.

WIKED doors are produced with the use of polyurethane foam by a method of flooding, which consists of filling the inside of the door with a carefully chosen, optimal reagent. Using powerful presses in which the doors remain until the inner space is completely filled and solidified, we produce for You doors fulfilling the highest standards.

Next element that stabilises the construction is a glued laminated timber inner frame additionally strengthened by finger-jointing, which is a construction part of the inside of door leaf. Using PUR foam flooding and glulam frame minimises the possibility of warping, favourably influencing the stability of entire constructions for years to come.

COMPLETE DOORS ADJUSTMENT

Doors are supposed to function for years to come. Therefore, for optimal comfort of use, we must have a full range of adjustment.

3D Hinges. We equip our doors with 3d hinges that allows for smooth adjustment in all three dimensions, ensuring comfortable and easy adjusting without the need of removing the leaf from the door frame.

Espagnolette. Multi-point lock as a uniform and permanently interconnected system. Lock face plate runs the full length of door. This solution adds extra stability and airtightness while also simplifying adjustment possibilities and creating a sublime visual effect.

Lock adjustment. As standard we offer You a system of coupling plates that allows easy adjustments in all bolt locking points. Ensuring an optimal set of adjustments for the current season and Your preferences.



GLAZING WITH WARM EDGE SPACER BARS

As standard, each glazing used in WIKED doors is equipped with a warm edge spacer bar in between individual panes of glass substantially improving thermal parameters of the sealed glazing unit. Using such a solution dramatically limits the effect of a heat bridge of glass simultaneously minimising the possibility of condensation gathering on the side parts of the glazing.

CHECK WHAT TO KEEP IN MIND WHILE CHOOSING EXTERIOR DOORS



SUBTHRESHOLD EXTENSION


In order for Your exterior door to be Your joy for years to come, it should be equipped with a special construction that eliminates any heat-bridges (freezing underneath the door) as well as ensures stability and longevity of the installation.

The element that should be incorporated into each door package is a subthreshold extension. It is mounted underneath the door threshold guaranteeing stable placement of the whole installation. This has a substantial influence on durability and longevity of the installation while also eliminating a heat-bridge effect where inner flooring and outer concrete slab meets. In our offer You will find such extensions made with PVC and Klinaryt (hardened expanded polystyrene).

ADDITIONAL GLAZING: P4 ANTI-BURGLARY GLASS AND ONE-WAY MIRROR

One-way mirror glazing allows the best reflection factor from the outside while keeping the visibility from the inside. One-way mirror is available for almost every model of WIKED doors.

P4 anti-burglary glass is an option allowing for a very high resistance against burglary attempts while simultaneously keeping the visual aesthetics intact. Glazing set contains 3 glass panes, one of which (P4 glass) is actually two panes, 4 mm thick each, held together by 4 layers of foil.



TERMO WARM FRAME

Choosing warm TERMO frames You receive the highest quality product for years to come, while also allowing for various configuration options and connecting the door with other elements (sidelight, fanlights, extensions, angle connectors and others). Proven and reliable construction of aluminium frames (as opposed to frames made with steel or wood) is characterised by an unrivalled quality, durability and safety which is hard to find in alternative solutions.

MAINTANANCE AND USAGE OF THE DOORS

In order for the INOX stainless steel elements to remain a decoration accessory, it is recommended to regularly conserve them with a cleaning agent dedicated to those types of surfaces (available in our offer). Using the recommended cleaning fluid allows to avoid discolouration and rust stains. Dirt and residue remaining for too long on the surface of stainless steel may lead to rust, corrosion or tarnishing of that surface.

Over time and due to atmospheric conditions protective foil starts vulcanising, making it harder to remove later on. Therefore, after finished installation it should be removed from doors and INOX elements. As part of maintenance doors should be washed with a soft cloth and a neutral washing agent. It will provide durability and appropriate look for long years to come. Details of maintenance can be found in the guarantee card.



TERMO PRESTIGE LUX

Thermal insulation
Ud=0,79*

86 mm
Door leaf thickness

Acoustic insulation
32dB*

Anti-burglary class
RC2**



TERMO PRESTIGE warm frame with two seals and insulating filler in each chamber



Door leaf with a seal, filled with polyurethane foam and glulam frame



Three 3D adjustable hinges



Decorative hinge caps



Adjustable pressure for 3-point lock system



6 anti-breach bolts



Key operated upper bolt with additional upper latch bolt



WILKA® double cylinder or knob cylinder



3-point lock with main lock and central latch bolt



Prime, Tahoma, Manitoba or Magnus handle



Key operated lower bolt with additional lower latch bolt




Door leaf with 4-sided seal



Drip guard (inswing doors)




Auto drop down seal



Windstopper (seal preventing potential drafts in threshold section)



Warm, PVC/ALU threshold with thermal barrier



Installation kit



PROOVEN CHOICE

* Only doors without glazing

**According to PN-EN 1627:2011. Full doors and doors with glazing (P4) with INOX frame (chosen models) equipped with C class handle and C class lock cylinder



OPTIMUM WITH THERMO FRAME

Thermal insulation
Ud=0,85*

76 mm
Door leaf thickness

RC 2
Anti-burglary class RC2**

CE
European standard of conformity CE



TERMO warm frame (extra payment)



Door leaf with a seal, filled with polyurethane foam and glulam frame



Three 3D adjustable hinges



Decorative hinge caps



Adjustable pressure for 3-point lock system



Adjustable latch bolt



3 anti-breach bolts



Upper hook-bolt



Additional upper lock with WILKA® knob cylinder (single key system)



3-point lock with main lock and WILKA® cylinder (single key system)



Prime, Tahoma, Manitoba or Magnus handle



Lower hook-bolt

PROOVEN CHOICE



Door leaf with 4-sided seal



Drip guard (inswing doors)



Windstopper (seal preventing potential drafts in threshold section)



Warm, PVC/ALU threshold with thermal barrier



Installation kit

* Only doors without glazing

**According to PN-EN 1627:2011. Full doors and doors with glazing (P4) with INOX frame (chosen models) equipped with C class handle and C class lock cylinder


OPTIMUM WITH "12" FRAME

Thermal insulation
Ud=1,0*

76 mm
Door leaf thickness

RC 2 Anti-burglary class
RC2**

Acoustic insulation
31dB*



„12“ laminated frame with seal



Door leaf with a seal, filled with polyurethane foam and glulam frame



Three 3D adjustable hinges



Decorative hinge caps



Adjustable pressure for 3-point lock system



Adjustable latch bolt



3 anti-breach bolts



Upper hook-bolt



Additional upper lock with WILKA® knob cylinder (single key system)



3-point lock with main lock and WILKA® cylinder (single key system)



Prime, Tahoma, Manitoba or Magnus handle



Lower hook-bolt



Drip guard (inswing doors)



Aluminium threshold



Door leaf with 4-sided seal



Installation kit



PROOVEN CHOICE

* Only doors without glazing

**According to PN-EN 1627:2011. Full doors and doors with glazing (P4) with INOX frame (chosen models) equipped with C class handle and C class lock cylinder




PREMIUM WITH THERMO FRAME

Thermal insulation
Ud=0,98*

54 mm
Door leaf thickness

RC 2 Anti-burglary class
RC2**

Acoustic insulation
31dB*



1 | 60 MM
THERMO warm frame
(extra payment)



2 | Door leaf with a seal,
filled with polyurethane
foam and glulam frame



3 | Three 3D adjustable
hinges



4 | Decorative hinge caps



5 | Adjustable pressure for
3-point lock system



6 | Adjustable latch bolt



7 | 3 anti-breach bolts



8 | Upper bolt (hook)



9 | Additional upper lock
with WILKA® knob cylinder
(single key system)



10 | 3-point lock with main
lock and WILKA® cylinder
(single key system)



11 | Prime, Tahoma, Manitoba
or Magnus handle



12 | Lower bolt (hook)

PROOVEN CHOICE



13 | Insulating brush



14 | PVC/ALU threshold with
seal



15 | Drip guard (inswing
doors)



16 | Windstopper (seal preven-
ting potential drafts in
threshold section)



17 | Installation kit

* Only doors without glazing

**According to PN-EN 1627:2011. Full doors and doors with glazing (P4) with INOX frame (chosen models) equipped with C class handle and C class lock cylinder

Thermal insulation
Ud=1,2*

54 mm
Door leaf thick-
ness

RC 2
Anti-burglary class
RC2**

CE
European standard of
conformity CE



1 108/92 MM

„9“ or „11“ laminated
frame with seal



2

Door leaf with a seal,
filled with polyurethane
foam and glulam frame



3

Three 3D adjustable
hinges



4

Decorative hinge caps



5

Adjustable pressure for
3-point lock system



6

Adjustable latch bolt



7

3 anti-breach bolts



8

Upper bolt (hook)



9 WILKA[®]
SCHLIESSTECHNIK

Additional upper lock
with WILKA[®] knob cylinder
(single key system)



10 WILKA[®]
SCHLIESSTECHNIK

3-point lock with main
lock and WILKA[®] cylinder
(single key system)



11

Prime, Tahoma, Manitoba
or Magnus handle



12

Lower bolt (hook)



13

Drip guard (inswing doors)



14

Aluminium threshold
with seal



15

Installation kit





NORMAL WITH "11" / "9" FRAME

 Thermal insulation
Ud=1,4*

 Door leaf thickness

 Economic choice

 European standard of conformity CE



1 108/92 MM
„9” or „11” laminated frame with seal



2 Door leaf with a seal, filled with extruded polystyrene foam



3 Three adjustable hinges



4 3 anti-breach bolts



5 Adjustable latch bolt



6 Additional 4-bolt, upper lock with a knob cylinder (single key system)



7 Prime, Tahoma, Manitoba or Magnus handle



8 4-bolt main lock with double cylinder (single key system)



9 Aluminium threshold with seal



10 Installation kit

* Only doors without glazing

DISCOVER A NEW

DIMENSION OF GLASS

GLASS DESIGN



WIKED external doors from GLASS DESIGN collection is the newest design proposal where glazing from the outside and frames from the inside are both flush to the door leaf giving an outstanding effect.

New technology used for GLASS DESIGN series allows to mount the glazing without the need of using a glazing frame from the outer side.



**GLASS REFLEX
TECHNOLOGY**

Glazing used in GLASS DESIGN series have a unique one-way mirror Black of a very high reflection factor. This unique visual effect underlines the extraordinary look of the entire door.



GLAZING



DESIGN



ACCESORIES

NEW

GLASS DESIGN DOORS CAN BE SHORTENED BY UP TO 10 CM

SEE MORE : P. 72

GLASS DESIGN DOORS AVAILABLE IN BICOLOUR


SEE MORE : P. 73

AVAILABLE COLOURS		▲▲	▲▲▲								▲			▲
	WHITE	BLEACHED OAK	WOODEC OAK TURNER	WINCHESTER	GOLDEN OAK	WALNUT	MAHOGANY	WENGE	SWAMP OAK	SILVER GRAY	ANTHRACITE SAPPHIRE	PLAIN ANTHRACITE	STRUCTURE ANTHRACITE	MATTE BLACK

GD01A



GLAZING



* Extra payment

GLASS DESIGN

PRICING				
DOOR TYPE	GLAZING	GD01A	GD01A	GD01A
🏠 Premium	✓	Price given individually		
🏠 Optimum	✓	Price given individually		
🏠 Termo Prestige Lux	✓	Price given individually		

GD01B

GD01C



PULL HANDLES	ALFA 60° / 120 / 150	◁ 45°
	BETA 120 / 150	◁ 45°

For designs GD01A and GD01C additionally available pull handles ALFA and BETA in ◁90° variant and pull handle TORO 120 ◁90° and 180 ◁90°.

AVAILABLE FRAMES (INNER SIDE OF DOOR)	
BLACK	INOX

OPTIONALLY AVAILABLE DOOR HEIGHT	
210 - 2400	Every 1 cm.

AVAILABLE SIZES (WIDTH OF DOOR LEAF)				
80N	80	90N	90	100¹

SIDE PANELS AND PASSIVE LEAVES
Unavailable for GLASS DESIGN series.

Doors are available in a standard height and optionally (extra payment) in sizes above.

¹ Cost according to price list. Size unavailable for Termo Prestige Lux series. ² Pull handle ALFA 60 ◁45° available only for Termo Prestige Lux series. ³ Colours available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ⁴ Colour Bleached Oak colour available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ⁵ Colour Woodec Oak Turner unavailable for doors with PVC frames.



GD02A



GLAZING



* Extra payment

GLASS DESIGN

PRICING			
DOOR TYPE	GLAZING	GD02A	GD02B
Premium	✓	Price given individually	
Optimum	✓	Price given individually	
Termo Prestige Lux	✓	Price given individually	

GD02B



PULL HANDLES	ALFA 60° / 120 / 150	◁ 45°
	BETA 120 / 150	◁ 45°

For design GD02A additionally available pull handles Alfa and Beta in ◁ 90° and pull handle Toro 120° ◁ 90° and 180° ◁ 90°.

AVAILABLE SIZES (WIDTH OF DOOR LEAF)				
80N	80	90N	90	100'

AVAILABLE FRAMES (INNER SIDE OF DOOR)	
BLACK	INOX

SIDE PANELS AND PASSIVE LEAVES
Unavailable for GLASS DESIGN series.

OPTIONALLY AVAILABLE DOOR HEIGHT	
2110 - 2400	Every 1 cm.

Doors are available in a standard height and optionally (extra payment) in sizes above.


AVAILABLE COLOURS		⚠️	⚠️								⚠️			⚠️
	WHITE	BLEACHED OAK	WOODEC OAK TURNER	WINCHESTER	GOLDEN OAK	WALNUT	MAHOGANY	WENGE	SWAMP OAK	SILVER GRAY	ANTHRACITE SAPPHIRE	PLAIN ANTHRACITE	STRUCTURE ANTHRACITE	MATTE BLACK

GD03A


GLASS
DESIGN



GLAZING



P4 anti-burglary glazing*



Black One-way Mirror

* Extra payment

PRICING

DOOR TYPE	GLAZING	GD03A
🏠 Premium	✓	Price given individually
🏠 Optimum	✓	Price given individually
🏠 Termo Prestige Lux	✓	Price given individually



PULL HANDLES

ALFA 60 ² / 120 / 150	◁ 45°
BETA 120 / 150	◁ 45°
MODERN 50	◁ 90°

AVAILABLE FRAMES (INNER SIDE OF DOOR)



OPTIONALLY AVAILABLE DOOR HEIGHT

2110 - 2400	Every 1 cm.
-------------	-------------

Doors are available in a standard height and optionally (extra payment) in sizes above.

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80	90N	90	100 ¹
----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES

Unavailable for Glass Design series.

¹ Cost according to price list. Size unavailable for Termo Prestige Lux series. ² Pull handle ALFA 60 ◁ 45° available only for Termo Prestige Lux series. [Ⓐ] Colours available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ^{ⒶⒶ} Colour Bleached Oak colour available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ^{ⒶⒶⒶ} Colour Woodec Oak Turner unavailable for doors with PVC frames.

ALUMINIUM

DOORS

FUTURE
INOX

ALUMINIUM DOORS



ALUMINIUM
TECHNOLOGY

Metal coat and decorative elements of the Future INOX doors are made entirely out of aluminum.

This allows the doors to achieve a unique durability and very good protection from weather conditions.

Thanks to using the newest technologies, the decorative frames and glazings are connected to the door leaf's metal coat, giving an optical effect of a refined, consistent construction. Placing the perfectly fit glazing into the door leaf is a highlight of the idea accompanying the unique look of the Future INOX doors.

Perfect assembly and subtle underlining of decorative frames give Future INOX doors an unprecedented character.

NEW

FUTURE INOX DOORS (FI01, FI02, FI03) CAN BE SHORTENED BY 10 CM
OTHER DESIGNS WITH GLAZING CAN BE SHORTENED AFTER INDIVIDUAL CONSULTATION

FUTURE INOX DOORS AVAILABLE IN MIX BICOLOUR


SEE MORE: P. 73



FUTURE INOX is a door collection representing a completely unique design.

Subtle decorative frame flush to the door leaf as well as the possibility of mixing and matching two different colors separated from one another are the newest design proposal for WIKĘD doors.

This design solution was unavailable until now for this product type.



FI01A



ALUMINIUM DOORS

PRICING					
DOOR TYPE	GLAZING	FI01A	FI01B	FI01C	FI01D
Premium	—	Price given individually			
Optimum	—	Price given individually			
Termo Prestige Lux	—	Price given individually			

GLAZINGS

Not available for the selected door.

FI01B

FI01C

FI01D



PULL HANDLES

ALFA 60° / 120 / 150	◁ 45°
BETA 120 / 150	◁ 45°

For designs FI01A, FI01C and FI01D additionally available pull handles Alfa and Beta in ◁ 90°, pull handle Toro 120° ◁ 90° and 180° ◁ 90° and Pocket pull handles.

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------

ADDITIONAL INFORMATION

The width of the decorative elements is illustrative and may vary depending on the door line and the width of the door leaf.

OPTIONALLY AVAILABLE DOOR HEIGHT

2110 - 2400	Every 1 cm.
-------------	-------------

Doors are available in a standard height and optionally (extra payment) in sizes above.

SIDE PANELS AND PASSIVE LEAVES

Unavailable for Future INOX series.

AVAILABLE COLOURS	WHITE	BLEACHED OAK	WOODEC OAK TURNER	WINCHESTER	GOLDEN OAK	WALNUT	MAHOGANY	WENGE	SWAMP OAK	SILVER GRAY	ANTHRACITE SAPPHIRE	PLAIN ANTHRACITE	STRUCTURE ANTHRACITE	MATTE BLACK
		⚠️	⚠️								⚠️			⚠️

FI02A



ALUMINIUM DOORS

PRICING			
DOOR TYPE	GLAZING	FI02A	FI02B
Premium	—	Price given individually	
Optimum	—	Price given individually	
Termo Prestige Lux	—	Price given individually	

GLAZINGS

Not available for the selected door.

FI02B



PULL HANDLES	ALFA 60 ² / 120 / 150	◁ 90° ▷ 45°
	BETA 120 / 150	◁ 90° ▷ 45°
	TORO 120 / 180	◁ 90°
	POCKET 20 / 45 / 180	

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------

ADDITIONAL INFORMATION

The width of the decorative elements is illustrative and may vary depending on the door line and the width of the door leaf.

OPTIONALLY AVAILABLE DOOR HEIGHT

2110 - 2400	Every 1 cm.
-------------	-------------

Doors are available in a standard height and optionally (extra payment) in sizes above.

SIDE PANELS AND PASSIVE LEAVES

Unavailable for Future INOX series.

¹ Cost according to price list. Size unavailable for Termo Prestige Lux series. ² Pull handle ALFA 60 < 45° available only for Termo Prestige Lux series.
³ Colours available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ⁴ Colour Bleached Oak colour available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ⁵ Colour Woodec Oak Turner unavailable for doors with PVC frames.

F103A



ALUMINIUM DOORS

GLAZINGS

Not available for the selected door.

PRICING			
DOOR TYPE	GLAZING	F103A	F103B
Premium	—	Price given individually	
Optimum	—	Price given individually	
Termo Prestige Lux	—	Price given individually	

F103B



PULL HANDLES	ALFA 60° / 120 / 150	◁ 90° ▷ 45°
	BETA 120 / 150	◁ 90° ▷ 45°
	TORO 120 / 180	◁ 90°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)					
80N	80	90N	90	100 ¹	

ADDITIONAL INFORMATION

The width of the decorative elements is illustrative and may vary depending on the door line and the width of the door leaf.

OPTIONALLY AVAILABLE DOOR HEIGHT	
2110 - 2400	Every 1 cm.

Doors are available in a standard height and optionally (extra payment) in sizes above.

SIDE PANELS AND PASSIVE LEAVES

Unavailable for Future INOX series.

AVAILABLE COLOURS		▲▲	▲▲▲▲								▲			▲
	WHITE	BLEACHED OAK	WOODEC OAK TURNER	WINCHESTER	GOLDEN OAK	WALNUT	MAHOGANY	WENGE	SWAMP OAK	SILVER GRAY	ANTHRACITE SAPPHIRE	PLAIN ANTHRACITE	STRUCTURE ANTHRACITE	MATTE BLACK

FIO4A



ALUMINIUM DOORS

PRICING						
DOOR TYPE	GLAZING	FIO4A	FIO4B	FIO4C	FIO4D	FIO4E
Premium	✓	Price given individually				
Optimum	✓	Price given individually				
Termo Prestige Lux	✓	Price given individually				

FIO4B



FIO4C



FIO4D



FIO4E



PULL HANDLES	ALFA 60 ² / 120 / 150	◁ 45°
	BETA 120 / 150	◁ 45°

For designs FIO4A and FIO4C additionally available pull handles Alfa and Beta in ◁ 90°, pull handle Toro 120° ◁ 90° and 180° ◁ 90° and Pocket pull handles.

AVAILABLE SIZES (WIDTH OF DOOR LEAF)					
80N	80	90N	90	100 ¹	

ADDITIONAL INFORMATION

The width of the decorative elements is illustrative and may vary depending on the door line and the width of the door leaf.

OPTIONALLY AVAILABLE DOOR HEIGHT	
2110 - 2400	Every 1 cm.

Doors are available in a standard height and optionally (extra payment) in sizes above.

SIDE PANELS AND PASSIVE LEAVES

Unavailable for Future INOX series.

¹ Cost according to price list. Size unavailable for Termo Prestige Lux series. ² Pull handle ALFA 60 ◁ 45° available only for Termo Prestige Lux series.
[▲]Colours available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ^{▲▲}Colour Bleached Oak colour available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ^{▲▲▲}Colour Woodec Oak Turner unavailable for doors with PVC frames.

FI05A



GLAZINGS



ALUMINIUM DOORS

PRICING						
DOOR TYPE	GLAZING	FI05A	FI05B	FI05C	FI05D	FI05E
Premium	✓	Price given individually				
Optimum	✓	Price given individually				
Termo Prestige Lux	✓	Price given individually				

FI05B



FI05C



FI05D



FI05E



PULL HANDLES	ALFA 60° / 120 / 150	◁ 45°
	BETA 120 / 150	◁ 45°

For designs FI05A and FI05C additionally available pull handle Alfa and Beta in ◁ 90°, pull handle Toro 120° ◁ 90° and 180° ◁ 90° and Pocket pull handles.

AVAILABLE SIZES (WIDTH OF DOOR LEAF)					
80N	80	90N	90	100 ¹	

ADDITIONAL INFORMATION

The width of the decorative elements is illustrative and may vary depending on the door line and the width of the door leaf.

OPTIONALLY AVAILABLE DOOR HEIGHT	
210 - 2400	Every 1 cm.

Doors are available in a standard height and optionally (extra payment) in sizes above.

SIDE PANELS AND PASSIVE LEAVES

Unavailable for Future INOX series.

AVAILABLE COLOURS	WHITE	BLEACHED OAK	WOODEC OAK TURNER	WINCHESTER	GOLDEN OAK	WALNUT	MAHOGANY	WENGE	SWAMP OAK	SILVER GRAY	ANTHRACITE SAPPHIRE	PLAIN ANTHRACITE	STRUCTURE ANTHRACITE	MATTE BLACK
-------------------	-------	--------------	-------------------	------------	------------	--------	----------	-------	-----------	-------------	---------------------	------------------	----------------------	-------------

FI06A



ALUMINIUM DOORS

GLAZINGS



PRICING						
DOOR TYPE	GLAZING	FI06A	FI06B	FI06C	FI06D	FI06E
Premium	✓	Price given individually				
Optimum	✓	Price given individually				
Termo Prestige Lux	✓	Price given individually				

FI06B

FI06C

FI06D

FI06E



PULL HANDLES	ALFA 60 ² / 120 / 150	◁ 45°
	BETA 120 / 150	◁ 45°

For designs FI06A and FI06C additionally available pull handles Alfa and Beta in ◁ 90°, pull handle Toro 120° ◁ 90° and 180° ◁ 90° and Pocket pull handle.

AVAILABLE SIZES (WIDTH OF DOOR LEAF)					
80N	80	90N	90	100 ¹	

ADDITIONAL INFORMATION

The width of the decorative elements is illustrative and may vary depending on the door line and the width of the door leaf.

OPTIONALLY AVAILABLE DOOR HEIGHT	
2110 - 2400	Every 1 cm.

Doors are available in a standard height and optionally (extra payment) in sizes above.

SIDE PANELS AND PASSIVE LEAVES

Unavailable for Future INOX series.


¹ Cost according to price list. Size unavailable for Termo Prestige Lux series. ² Pull handle ALFA 60 ◁ 45° available only for Termo Prestige Lux series.
[△]Colours available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ^{△△}Colour Bleached Oak colour available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ^{△△△}Colour Woodec Oak Turner unavailable for doors with PVC frames.

FI07A



ALUMINIUM DOORS

GLAZINGS



PRICING						
DOOR TYPE	GLAZING	FI07A	FI07B	FI07C	FI07D	FI07E
 Premium	✓	Price given individually				
 Optimum	✓	Price given individually				
 Termo Prestige Lux	✓	Price given individually				

FI07B

FI07C

FI07D

FI07E



PULL HANDLES

ALFA 60° / 120 / 150	◁ 45°
BETA 120 / 150	◁ 45°

For designs FI07A and FI07C additionally available pull handles Alfa and Beta in ◁ 90°, pull handle Toro 120° ◁ 90° and 180° ◁ 90° and Pocket pull handle.

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------

ADDITIONAL INFORMATION

The width of the decorative elements is illustrative and may vary depending on the door line and the width of the door leaf.

OPTIONALLY AVAILABLE DOOR HEIGHT

2110 - 2400	Every 1 cm.
-------------	-------------

Doors are available in a standard height and optionally (extra payment) in sizes above.

SIDE PANELS AND PASSIVE LEAVES

Unavailable for Future INOX series.

AVAILABLE COLOURS		▲▲	▲▲▲▲								▲			▲
	WHITE	BLEACHED OAK	WOODEC OAK TURNER	WINCHESTER	GOLDEN OAK	WALNUT	MAHOGANY	WENGE	SWAMP OAK	SILVER GRAY	ANTHRACITE SAPPHIRE	PLAIN ANTHRACITE	STRUCTURE ANTHRACITE	MATTE BLACK

F108A



GLAZINGS



ALUMINIUM DOORS

PRICING		
DOOR TYPE	GLAZING	F108A
Premium	✓	Price given individually
Optimum	✓	Price given individually
Termino Prestige Lux	✓	Price given individually



PULL HANDLES	ALFA 60 ² / 120 / 150	◁ 90° ▷ 45°
	BETA 120 / 150	◁ 90° ▷ 45°
	TORO 120 / 180	◁ 90°
	POCKET 20 / 45 / 180	

AVAILABLE SIZES (WIDTH OF DOOR LEAF)					
80N	80	90N	90	100 ¹	

ADDITIONAL INFORMATION

The width of the decorative elements is illustrative and may vary depending on the door line and the width of the door leaf.

OPTIONALLY AVAILABLE DOOR HEIGHT	
2110 - 2400	Every 1 cm.

Doors are available in a standard height and optionally (extra payment) in sizes above.

SIDE PANELS AND PASSIVE LEAVES

Unavailable for Future INOX series.

¹ Cost according to price list. Size unavailable for Termino Prestige Lux series. ² Pull handle ALFA 60 < 45° available only for Termino Prestige Lux series.
 ▲Colours available only for Termino Prestige Lux, Optimum with Termino frame and Premium with Termino frame. ▲▲Colour Bleached Oak colour available only for Termino Prestige Lux, Optimum with Termino frame and Premium with Termino frame. ▲▲▲Colour Woodec Oak Turner unavailable for doors with PVC frames.

FI09A



ALUMINIUM DOORS

- GLAZINGS**
-  **Standard** (transparent)
 -  **Milky**
 -  **Reflex**

PRICING				
DOOR TYPE	GLAZING	FI09A	FI09B	FI09C
 Premium	✓	Price given individually		
 Optimum	✓	Price given individually		
 Termo Prestige Lux	✓	Price given individually		

FI09B

FI09C



- PULL HANDLES**
- ALFA 60² / 120 / 150 < 45°
 - BETA 120 / 150 < 45°
- Attention - no pull handle available for design FI09C.

- AVAILABLE SIZES (WIDTH OF DOOR LEAF)**
- 80
 - 90N
 - 90
 - 100¹

- OPTIONALLY AVAILABLE DOOR HEIGHT**
- Doors are available in the standard height option only.

ADDITIONAL INFORMATION

The width of the decorative elements is illustrative and may vary depending on the door line and the width of the door leaf.

SIDE PANELS AND PASSIVE LEAVES

Unavailable for Future INOX series.

AVAILABLE COLOURS		▲▲	▲▲▲								▲			▲
	WHITE	BLEACHED OAK	WOODEC OAK TURNER	WINCHESTER	GOLDEN OAK	WALNUT	MAHOGANY	WENGE	SWAMP OAK	SILVER GRAY	ANTHRACITE SAPPHIRE	PLAIN ANTHRACITE	STRUCTURE ANTHRACITE	MATTE BLACK

F110A



ALUMINIUM DOORS

PRICING		
DOOR TYPE	GLAZING	F110A
Premium	✓	Price given individually
Optimum	✓	Price given individually
Termino Prestige Lux	✓	Price given individually



PULL HANDLES

ALFA 60 ² / 120 / 150	◁ 45°
BETA 120 / 150	◁ 45°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------

OPTIONALLY AVAILABLE DOOR HEIGHT

2110 - 2400	Every 1 cm.
-------------	-------------

ADDITIONAL INFORMATION

The width of the decorative elements is illustrative and may vary depending on the door line and the width of the door leaf.

Doors are available in a standard height and optionally (extra payment) in sizes above.

SIDE PANELS AND PASSIVE LEAVES

Unavailable for Future INOX series.

¹ Cost according to price list. Size unavailable for Termino Prestige Lux series. ² Pull handle ALFA 60 < 45° available only for Termino Prestige Lux series. [▲]Colours available only for Termino Prestige Lux, Optimum with Termino frame and Premium with Termino frame. ^{▲▲}Colour Bleached Oak colour available only for Termino Prestige Lux, Optimum with Termino frame and Premium with Termino frame. ^{▲▲▲}Colour Woodec Oak Turner unavailable for doors with PVC frames.

DESIGN 42



GLAZINGS Also available P4 and One-way mirror glazings (page 71)

Reflex	Sandblasted	Milky	Standard (transparent)
--------	-------------	-------	------------------------

ADDITIONAL INFORMATION
Design without glazing on page 54.

PULL HANDLES

ALFA 60 ² / 120 / 150	◀ 90° ◀ 45°
BETA 120 / 150	◀ 90° ◀ 45°
TORO 120 / 180	◀ 90°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	T8	P2
-----------	------	----	----

PRICING

DOOR TYPE	GLAZING	42
Normal	—	Price given individually
Premium	✓	Price given individually
Optimum	✓	Price given individually
Termo Prestige Lux	✓	Price given individually

DESIGN 41



DESIGN 41 A **DESIGN 41 B**



AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------

GLAZINGS
No glazing available for this door.

AVAILABLE FRAMES

BLACK ²	INOX
--------------------	------

PULL HANDLES

ALFA 60 ² / 120 / 150	◀ 90° ◀ 45°
BETA 120 / 150	◀ 90° ◀ 45°
TORO 120 / 180	◀ 90°

For Design 41 and 41A (if the version without frames from the outside is selected) an additional Modern 50 handle is available.

SIDE PANELS AND PASSIVE LEAVES


DEDICATED	FULL	T3	PT3	
OPTIONAL	P5	P6	P7	P8
	X3	X4	X5	X6

PRICING

DOOR TYPE	INOX	41	41A	41B
Normal	One-sided Two-sided	Price given individually		
Premium	One-sided Two-sided	Price given individually		
Optimum	One-sided Two-sided	Price given individually		
Termo Prestige Lux	One-sided Two-sided	Price given individually		

AVAILABLE COLOURS														
	WHITE	BLEACHED OAK	WOODEC OAK TURNER	WINCHESTER	GOLDEN OAK	WALNUT	MAHOGANY	WENGE	SWAMP OAK	SILVER GRAY	ANTHRACITE SAPPHIRE	PLAIN ANTHRACITE	STRUCTURE ANTHRACITE	MATTE BLACK

DESIGN 40



DESIGN 40 A



AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N 80 90N 90 100¹

GLAZINGS

No glazing available for this door.

AVAILABLE FRAMES

BLACK³

INOX

PULL HANDLES	ALFA 60 ² / 120 / 150	◀ 90° ▶ 45°
	BETA 120 / 150	◀ 90° ▶ 45°
	TORO 120 / 180	◀ 90°
	OMEGA 150	◀ 90°

For Design 40 also available Modern 50 pull handle.

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	T3	PT3		
OPTIONAL	P5	P6	P7	P8	X3
	X4	X5	X6		

PRICING

DOOR TYPE	INOX	40	40A
Normal	One-sided	Price given individually	
	Two-sided	Price given individually	
Premium	One-sided	Price given individually	
	Two-sided	Price given individually	
Optimum	One-sided	Price given individually	
	Two-sided	Price given individually	
Termo Prestige Lux	One-sided	Price given individually	
	Two-sided	Price given individually	

DESIGN 39



DESIGN 39 A



DESIGN 39 B



GLAZINGS

Also available P4 and One-way mirror glazings (page 71)

	Milky
	Reflex
	Standard (transparent)

AVAILABLE FRAMES

BLACK³

INOX

PULL HANDLES	ALFA 60 ² / 120 / 150	◀ 90° ▶ 45°
	BETA 120 / 150	◀ 90° ▶ 45°
	TORO 120 / 180	◀ 90°
	MODERN 50	◀ 90°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N 80 90N 90 100¹

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	T3			
OPTIONAL	P5	P6	P7	P8	PT3
	X3	X4	X5	X6	

PRICING

DOOR TYPE	GLAZING	39	39A	39B
Premium	✓	Price given individually		
Optimum	✓	Price given individually		
Termo Prestige Lux	✓	Price given individually		

¹ Cost according to price list. Size unavailable for Termo Prestige Lux series. ² Pull handle ALFA 60 ◀ 45° available only for Termo Prestige Lux series. ³ Colours available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ⁴ Colour Bleached Oak colour available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ⁵ Colour Woodec Oak Turner unavailable for doors with PVC frames.


DESIGN 38

DESIGN 38 A



GLAZINGS

Also available P4 and One-way mirror glazings (page 71)



AVAILABLE FRAMES

BLACK² **INOX**

PULL HANDLES	ALFA 60 ² / 120 / 150	◀ 90° ▶ 45°
	BETA 120 / 150	◀ 90° ▶ 45°
	TORO 120 / 180	◀ 90°
	OMEGA 150	◀ 90°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N 80 90N 90 100¹

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	T7	P8	X5	PT4
OPTIONAL	X4				

PRICING

DOOR TYPE	GLAZING	38	38A
Premium	✓		Price given individually
Optimum	✓		Price given individually
Termo Prestige Lux	✓		Price given individually


DESIGN 37

DESIGN 37 A



GLAZINGS

Also available P4 and One-way mirror glazings (page 71)



AVAILABLE FRAMES

BLACK² **INOX**

PULL HANDLES	ALFA 60 ² / 120 / 150	◀ 90° ▶ 45°
	BETA 120 / 150	◀ 90° ▶ 45°
	TORO 120 / 180	◀ 90°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N 80 90N 90 100¹

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	T7	P8	X5	PT4
OPTIONAL	X4				

PRICING

DOOR TYPE	GLAZING	37	37A
Premium	✓		Price given individually
Optimum	✓		Price given individually
Termo Prestige Lux	✓		Price given individually


AVAILABLE COLOURS		▲▲	▲▲▲								▲			▲
	WHITE	BLEACHED OAK	WOODEC OAK TURNER	WINCHESTER	GOLDEN OAK	WALNUT	MAHOGANY	WENGE	SWAMP OAK	SILVER GRAY	ANTHRACITE SAPPHIRE	PLAIN ANTHRACITE	STRUCTURE ANTHRACITE	MATTE BLACK

DESIGN 36



GLAZINGS

Also available P4 and One-way mirror glazings (page 71)



AVAILABLE FRAMES



PULL HANDLES	ALFA 60² / 120 / 150	◁ 45°
	BETA 120 / 150	◁ 45°
	OMEGA 150	◁ 90°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80	90N	90	100¹
----	-----	----	------


SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	X5
OPTIONAL	P5	X2 X4

PRICING


DOOR TYPE	GLAZING	36
🏠 Premium	✓	Price given individually
🏠 Optimum	✓	Price given individually
🏠 Termo Prestige Lux	✓	Price given individually

DESIGN 35



GLAZINGS

Also available P4 and One-way mirror glazings (page 71)



AVAILABLE FRAMES



PULL HANDLES	ALFA 150	◁ 90° ◁ 45°
	BETA 150	◁ 90° ◁ 45°
	MODERN 50	◁ 90°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

90N	90	100¹
-----	----	------

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	P5	X2
OPTIONAL	P6	P7	P8 X3 X4
	X5	X6	

PRICING

DOOR TYPE	GLAZING	35
🏠 Premium	✓	Price given individually
🏠 Optimum	✓	Price given individually
🏠 Termo Prestige Lux	✓	Price given individually

¹ Cost according to price list. Size unavailable for Termo Prestige Lux series. ² Pull handle ALFA 60 ◁ 45° available only for Termo Prestige Lux series. ³ Colours available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ⁴ Colour Bleached Oak colour available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ⁵ Colour Woodec Oak Turner unavailable for doors with PVC frames.

DESIGN 34

DESIGN 34 A

DESIGN 34 B



GLAZINGS Also available P4 and One-way mirror glazings (page 71)



Doors without glazing feature embossing.

PULL HANDLES	ALFA 60 ² / 120 / 150	◀ 45°
	BETA 120 / 150	◀ 45°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80*	90N	90	100 ¹	* 80 sized doors available without glazing.
-----	-----	----	------------------	---

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	T4	T5
OPTIONAL	P1	P2	P3

PRICING				
DOOR TYPE	GLAZING	34	34A	34B
Normal	—	Price given individually		
Premium	✓	Price given individually		
Optimum	✓	Price given individually		
Termo Prestige Lux	✓	Price given individually		

DESIGN 33

DESIGN 33 A



GLAZINGS Also available P4 and One-way mirror glazings (page 71)



Doors without glazing feature embossing.

PULL HANDLES	ALFA 60 ² / 120 / 150	◀ 45°
	BETA 120 / 150	◀ 45°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80	90N	90	100 ¹
----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	T5
OPTIONAL	P2	

PRICING			
DOOR TYPE	GLAZING	33	33A
Normal	—	Price given individually	
Premium	✓	Price given individually	
Optimum	✓	Price given individually	
Termo Prestige Lux	✓	Price given individually	

AVAILABLE COLOURS		▲▲	▲▲▲								▲			▲
	WHITE	BLEACHED OAK	WOODEC OAK TURNER	WINCHESTER	GOLDEN OAK	WALNUT	MAHOGANY	WENGE	SWAMP OAK	SILVER GRAY	ANTHRACITE SAPPHIRE	PLAIN ANTHRACITE	STRUCTURE ANTHRACITE	MATTE BLACK

DESIGN 32

DESIGN 32 A

DESIGN 32 B



AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N 80 90N 90 100¹

GLAZINGS

No glazing available for this door.

AVAILABLE FRAMES

INOX

PULL HANDLES

ALFA 60² / 120 / 150 < 45°

BETA 120 / 150 < 45°

For designs 32 and 32 B additionally available pull handles Alfa and Beta in < 90°, pull handle Toro 120² < 90° and 180² < 90° and Pocket pull handles.

SIDE PANELS AND PASSIVE LEAVES


DEDICATED	FULL	X4			
OPTIONAL	P5	P6	P7	P8	X2
	X3	X5	X6		

PRICING

DOOR TYPE	INOX	32	32A	32B
Normal	One-sided	Price given individually		
	Two-sided	Price given individually		
Premium	One-sided	Price given individually		
	Two-sided	Price given individually		
Optimum	One-sided	Price given individually		
	Two-sided	Price given individually		
Termo Prestige Lux	One-sided	Price given individually		
	Two-sided	Price given individually		


DESIGN 31

DESIGN 31 A



GLAZINGS

Also available P4 and One-way mirror glazings (page 71)



AVAILABLE FRAMES

BLACK³ INOX

PULL HANDLES

ALFA 60² / 120 / 150 < 90° < 45°

BETA 120 / 150 < 90° < 45°

GAMMA 60 / 150 < 90°

TORO 120 / 180 < 90°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N 80 90N 90 100¹

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	T6*	PT2*	* Unavailable for Design 31.	
OPTIONAL	P5	P6	P7	P8	X2
	X3	X4	X5	X6	

PRICING

DOOR TYPE	GLAZING	31	31A
Premium	✓	Price given individually	
Optimum	✓	Price given individually	
Termo Prestige Lux	✓	Price given individually	

¹ Cost according to price list. Size unavailable for Termo Prestige Lux series.


² Pull handle ALFA 60 < 45° available only for Termo Prestige Lux series.

³ Colours available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame.

⁴ Colour Bleached Oak colour available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame.

⁵ Colour Woodec Oak Turner unavailable for doors with PVC frames.

DESIGN 30



GLAZINGS Also available P4 and One-way mirror glazings (page 71)

Black Cube
Crystal
Silver Cube
Reflex
Sandblasted
Milky
Standard (transparent)

AVAILABLE FRAMES **BLACK²** **INOX**

PULL HANDLES

ALFA 60 ² / 120 / 150	◀ 90° ▶ 45°
BETA 120 / 150	◀ 90° ▶ 45°
TORO 120 / 180	◀ 90° ▶
POCKET 20 / 45 / 180	

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	P8	X5
OPTIONAL	X4		

PRICING

DOOR TYPE	GLAZING	30
Premium	✓	Price given individually
Optimum	✓	Price given individually
Termo Prestige Lux	✓	Price given individually

DESIGN 29



GLAZINGS Also available P4 and One-way mirror glazings (page 71)

Black Cube
Crystal
Silver Cube
Reflex
Sandblasted
Milky
Standard (transparent)

AVAILABLE FRAMES* **BLACK²** **INOX**

*Not applicable to Design 29A.

PULL HANDLES

ALFA 60 ² / 120 / 150	◀ 90° ▶ 45°
BETA 120 / 150	◀ 90° ▶ 45°
TORO 120 / 180	◀ 90° ▶

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	P2	P4**	X1**
OPTIONAL	P5**	X2**	** Unavailable for Design 29A.	

PRICING

DOOR TYPE	GLAZING	29	29A
Premium	✓	Price given individually	
Optimum	✓	Price given individually	
Termo Prestige Lux	✓	Price given individually	

AVAILABLE COLOURS		▲▲	▲▲▲								▲			▲
	WHITE	BLEACHED OAK	WOODEC OAK TURNER	WINCHESTER	GOLDEN OAK	WALNUT	MAHOGANY	WENGE	SWAMP OAK	SILVER GRAY	ANTHRACITE SAPPHIRE	PLAIN ANTHRACITE	STRUCTURE ANTHRACITE	MATTE BLACK

DESIGN 28



GLAZINGS

No glazing available for this door.

AVAILABLE FRAMES

No frames available for this door design.

PULL HANDLES	ALFA 60 ² / 120 / 150	◁ 45°
	BETA 120 / 150	◁ 45°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	T5
OPTIONAL	P2	

PRICING		
DOOR TYPE	GLAZING	28
Normal	—	Price given individually
Premium	—	Price given individually
Optimum	—	Price given individually
Termo Prestige Lux	—	Price given individually

DESIGN 27



GLAZINGS

No glazing available for this door.

AVAILABLE FRAMES

No frames available for this door design.

PULL HANDLES	ALFA 60 ² / 120 / 150	◁ 45°
	BETA 120 / 150	◁ 45°
	MODERN 50 (for sizes 100, 90, 90N)	◁ 90°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------


SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	T5	
OPTIONAL	P1	P2	P3

PRICING		
DOOR TYPE	GLAZING	27
Normal	—	Price given individually
Premium	—	Price given individually
Optimum	—	Price given individually
Termo Prestige Lux	—	Price given individually

¹ Cost according to price list. Size unavailable for Termo Prestige Lux series. ² Pull handle ALFA 60 ◁ 45° available only for Termo Prestige Lux series. [▲]Colours available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ^{▲▲}Colour Bleached Oak colour available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ^{▲▲▲}Colour Woodec Oak Turner unavailable for doors with PVC frames.

DESIGN 26



DESIGN 26A




DESIGN 26B



GLAZINGS

Also available P4 and One-way mirror glazings (page 71)



AVAILABLE FRAMES

BLACK²

INOX

PULL HANDLES

ALFA 60² / 120 / 150

◁ 45°

BETA 120 / 150

◁ 45°

For designs 26 A and 26 B additionally available pull handles Alfa and Beta in ◁ 90°, pull handle Toro 120" ◁ 90° and 180" ◁ 90° and Pocket pull handles.

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N 80 90N 90 100¹

SIDE PANELS AND PASSIVE LEAVES

DEDICATED FULL P6 P7 X3 X6


T3 PT3

OPTIONAL X4

PRICING

DOOR TYPE	GLAZING	26	26A	26B
Premium	✓	Price given individually		
Optimum	✓	Price given individually		
Termo Prestige Lux	✓	Price given individually		

DESIGN 26C



DESIGN 26D



DESIGN 26E



ADDITIONAL INFORMATION

Sandblasted sidelight Unavailable for design 26 E.

GLAZINGS

No glazing available for this door.

AVAILABLE FRAMES

No frames available for this door design.

PULL HANDLES

ALFA 60² / 120 / 150

◁ 90° ◁ 45°

BETA 120 / 150

◁ 90° ◁ 45°

TORO 120 / 180

◁ 90°

MODERN 50 (does not apply to design 26E)

◁ 90°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N 80 90N 90 100¹

SIDE PANELS AND PASSIVE LEAVES

DEDICATED FULL T3* PT3* *It does not apply to the design 26E.

OPTIONAL P5 P6 P7 X2 X3

X4 X5 X6

PRICING

DOOR TYPE	GLAZING	26C	26D	26E
Normal	—	Price given individually		
Premium	—	Price given individually		
Optimum	—	Price given individually		
Termo Prestige Lux	—	Price given individually		

AVAILABLE COLOURS		▲▲	▲▲▲								▲			▲
	WHITE	BLEACHED OAK	WOODEC OAK TURNER	WINCHESTER	GOLDEN OAK	WALNUT	MAHOGANY	WENGE	SWAMP OAK	SILVER GRAY	ANTHRACITE SAPPHIRE	PLAIN ANTHRACITE	STRUCTURE ANTHRACITE	MATTE BLACK

DESIGN 26F

DESIGN 26G



AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N 80 90N 90 100¹

GLAZINGS

No glazing available for this door.

AVAILABLE FRAMES

No frames available for this door design.

PULL HANDLES	ALFA 60 ² / 120 / 150	◁ 45°
	BETA 120 / 150	◁ 45°
	OMEGA 150	◁ 45°
	MODERN 50	◁ 90°

For design 26G additionally available pull handles Alfa and Beta in ◁ 90° and pull handle Toro 120" ◁ 90° and 180" ◁ 90°.

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	T3	PT3		
OPTIONAL	P5	P6	P7	X2	X3
	X4	X5	X6		

PRICING

DOOR TYPE	GLAZING	26F	26G
Normal	—		Price given individually
Premium	—		Price given individually
Optimum	—		Price given individually
Termo Prestige Lux	—		Price given individually

DESIGN 26H




AVAILABLE FRAMES

BLACK³ INOX

GLAZINGS

Also available P4 and One-way mirror glazings (page 71)



PULL HANDLES	ALFA 60 ² / 120 / 150	◁ 45°
	BETA 120 / 150	◁ 45°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N 80 90N 90 100¹

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	P6	P7	X3	X6
		T3	PT3		
OPTIONAL	X4				

PRICING


DOOR TYPE	GLAZING	26H
Premium	✓	Price given individually
Optimum	✓	Price given individually
Termo Prestige Lux	✓	Price given individually

¹ Cost according to price list. Size unavailable for Termo Prestige Lux series. ² Pull handle ALFA 60 ◁ 45° available only for Termo Prestige Lux series. ³ Colours available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ⁴ Colour Bleached Oak colour available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ⁵ Colour Woodec Oak Turner unavailable for doors with PVC frames.

DESIGN 25

DESIGN 25A

DESIGN 25B



GLAZINGS Also available P4 and One-way mirror glazings (page 71)



AVAILABLE FRAMES **BLACK³** **INOX**

PULL HANDLES	ALFA 60 ² / 120 / 150	◁ 45°
	BETA 120 / 150	◁ 45°

For designs 25 and 25 B additionally available pull handles Alfa and Beta in ◁ 90°, pull handle Toro 120" ◁ 90° and 180" ◁ 90° and Pocket pull handles.

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES


DEDICATED	FULL	P6	P7	X3	X6
OPTIONAL	X4				

PRICING				
DOOR TYPE	GLAZING	25	25A	25B
Premium	✓	Price given individually		
Optimum	✓	Price given individually		
Termo Prestige Lux	✓	Price given individually		

DESIGN 25C



GLAZINGS Also available P4 and One-way mirror glazings (page 71)



AVAILABLE FRAMES **BLACK³** **INOX**

PULL HANDLES	ALFA 60 ² / 120 / 150	◁ 45°
	BETA 120 / 150	◁ 45°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------


SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	P6	P7	X3	X6
	T3	PT3			
OPTIONAL	X4				

PRICING		
DOOR TYPE	GLAZING	25C
Premium	✓	Price given individually
Optimum	✓	Price given individually
Termo Prestige Lux	✓	Price given individually

AVAILABLE COLOURS		▲▲	▲▲▲								▲			▲
	WHITE	BLEACHED OAK	WOODEC OAK TURNER	WINCHESTER	GOLDEN OAK	WALNUT	MAHOGANY	WENGE	SWAMP OAK	SILVER GRAY	ANTHRACITE SAPPHIRE	PLAIN ANTHRACITE	STRUCTURE ANTHRACITE	MATTE BLACK

DESIGN 24



GLAZINGS

Also available P4 and One-way mirror glazings (page 71)



Silver Cube Crystal Milky Reflex

AVAILABLE FRAMES

INOX

PULL HANDLES	ALFA 60 ² / 120 / 150	◁ 90° ▷ 45°
	BETA 120 / 150	◁ 90° ▷ 45°
	TORO 120 / 180	◁ 90°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	P5	X2		
OPTIONAL	P6	P7	P8	X3	X4
	X5	X6			

PRICING		
DOOR TYPE	GLAZING	24
🔒 Premium	✓	Price given individually
🔒 Optimum	✓	Price given individually
🔒 Termo Prestige Lux	✓	Price given individually

DESIGN 23



DESIGN 23A



GLAZINGS

Also available P4 and One-way mirror glazings (page 71)



Milky Reflex Crystal

AVAILABLE FRAMES

INOX

PULL HANDLES	ALFA 60 ² / 120 / 150	◁ 90° ▷ 45°
	BETA 120 / 150	◁ 90° ▷ 45°
	SIGMA 90 / 150*	◁ 90°
	TORO 120 / 180	◁ 90°

* Does not apply to Design 23.

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL				
OPTIONAL	P5	P6	P7	P8	X2
	X3	X4	X5	X6	


PRICING			
DOOR TYPE	GLAZING	23	23A
🔒 Premium	✓		Price given individually
🔒 Optimum	✓		Price given individually
🔒 Termo Prestige Lux	✓		Price given individually

¹ Cost according to price list. Size unavailable for Termo Prestige Lux series. ² Pull handle ALFA 60 < 45° available only for Termo Prestige Lux series.
[▲]Colours available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ^{▲▲}Colour Bleached Oak colour available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ^{▲▲▲}Colour Woodec Oak Turner unavailable for doors with PVC frames.

DESIGN 22




DESIGN 22A



One-sided 3D frame when choosing glazing.

GLAZINGS Also available P4 and One-way mirror glazings (page 71)



AVAILABLE FRAMES **INOX**

DESIGN 22B

PULL HANDLES	ALFA 60 ² / 120 / 150	◀ 90° ◀ 45°
	BETA 120 / 150	◀ 90° ◀ 45°
	TORO 120 / 180	◀ 90°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	P5	X2	PT2*	T6*
OPTIONAL	P6	P7	P8	X3	X4
	X5	X6	* Unavailable for Design 22 and 22A.		

PRICING

DOOR TYPE	GLAZING	22	22A	22B
Premium	✓	Price given individually		
Optimum	✓	Price given individually		
Termo Prestige Lux	✓	Price given individually		

DESIGN 21



DESIGN 21A



GLAZINGS Also available P4 and One-way mirror glazings (page 71)



AVAILABLE FRAMES **BLACK³** **INOX**

PULL HANDLES	ALFA 60 ² / 120 / 150	◀ 90° ◀ 45°
	BETA 120 / 150	◀ 90° ◀ 45°
	SIGMA 90 / 150*	◀ 90°
	TORO 120 / 180	◀ 90°

* Does not apply to Design 21.

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES


DEDICATED	FULL				
OPTIONAL	P5	P6	P7	P8	X2
	X3	X4	X5	X6	

PRICING

DOOR TYPE	GLAZING	21	21A
Premium	✓	Price given individually	
Optimum	✓	Price given individually	
Termo Prestige Lux	✓	Price given individually	

AVAILABLE COLOURS		▲▲	▲▲▲								▲			▲
	WHITE	BLEACHED OAK	WOODEC OAK TURNER	WINCHESTER	GOLDEN OAK	WALNUT	MAHOGANY	WENGE	SWAMP OAK	SILVER GRAY	ANTHRACITE SAPPHIRE	PLAIN ANTHRACITE	STRUCTURE ANTHRACITE	MATTE BLACK

DESIGN 20



GLAZINGS Also available P4 and One-way mirror glazings (page 71)

	
Standard (transparent)	Milky
	
Reflex	Silver Cube

AVAILABLE FRAMES

INOX

PULL HANDLES	ALFA 60 ² / 120 / 150	◀ 45°
	BETA 120 / 150	◀ 45°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80	90N	90	100 ¹
----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES


DEDICATED	FULL				
OPTIONAL	P5	P6	P7	P8	X2
	X3	X4	X5	X6	

PRICING		
DOOR TYPE	GLAZING	19
 Premium	✓	Price given individually
 Optimum	✓	Price given individually
 Termo Prestige Lux	✓	Price given individually

DESIGN 19



GLAZINGS Also available P4 and One-way mirror glazings (page 71)

		
Milky	Reflex	Silver Cube

AVAILABLE FRAMES

INOX

PULL HANDLES	ALFA 60 ² / 120 / 150	◀ 90° ◀ 45°
	BETA 120 / 150	◀ 90° ◀ 45°
	TORO 120 / 180	◀ 90°
	MODERN 50	◀ 90°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL				
OPTIONAL	P5	P6	P7	P8	X2
	X3	X4	X5	X6	


PRICING		
DOOR TYPE	GLAZING	19
 Premium	✓	Price given individually
 Optimum	✓	Price given individually
 Termo Prestige Lux	✓	Price given individually

¹ Cost according to price list. Size unavailable for Termo Prestige Lux series. ² Pull handle ALFA 60 ◀ 45° available only for Termo Prestige Lux series. [▲]Colours available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ^{▲▲}Colour Bleached Oak colour available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ^{▲▲▲}Colour Woodec Oak Turner unavailable for doors with PVC frames.

DESIGN 18



GLAZINGS Also available P4 and One-way mirror glazings (page 71)



AVAILABLE FRAMES

No frames available for this door design.

ADDITIONAL INFORMATION

Doors without glazing feature embossing.

PULL HANDLES	ALFA 60° / 120 / 150	◀ 45°
	BETA 120 / 150	◀ 45°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N*	80	90N	90	100 ¹
------	----	-----	----	------------------

*Size Unavailable for Termo Prestige Lux line. Size Unavailable with glazing.

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	T5
OPTIONAL	P2	

PRICING		
DOOR TYPE	GLAZING	18
Normal	—	Price given individually
Premium	✓	Price given individually
Optimum	✓	Price given individually
Termo Prestige Lux	✓	Price given individually

DESIGN 17



GLAZINGS Also available P4 and One-way mirror glazings (page 71)



ADDITIONAL INFORMATION

Doors without glazing feature embossing.

AVAILABLE FRAMES

No frames available for this door design.

PULL HANDLES	ALFA 60° / 120 / 150	◀ 45°
	BETA 120 / 150	◀ 45°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N*	80	90N	90	100
------	----	-----	----	-----

* Size Unavailable with glazing.

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	T5
OPTIONAL	P2	

PRICING		
DOOR TYPE	GLAZING	17
Normal	—	Price given individually
Premium	✓	Price given individually
Optimum	✓	Price given individually

AVAILABLE COLOURS		▲▲	▲▲▲								▲			▲
	WHITE	BLEACHED OAK	WOODEC OAK TURNER	WINCHESTER	GOLDEN OAK	WALNUT	MAHOGANY	WENGE	SWAMP OAK	SILVER GRAY	ANTHRACITE SAPPHIRE	PLAIN ANTHRACITE	STRUCTURE ANTHRACITE	MATTE BLACK

DESIGN 16



GLAZINGS

Also available P4 and One-way mirror glazings (page 71)



Silver Cube Sand Reflex

ADDITIONAL INFORMATION

Doors without glazing feature embossing.

AVAILABLE FRAMES

No frames available for this door design.

PULL HANDLES	ALFA 60° / 120 / 150	◀ 45°
	BETA 120 / 150	◀ 45°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N*	80	90N	90	100
------	----	-----	----	-----

* Size Unavailable with glazing.

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	T5
OPTIONAL	P2	


PRICING		
DOOR TYPE	GLAZING	16
Normal	—	Price given individually
Premium	✓	Price given individually
Optimum	✓	Price given individually

DESIGN 15



GLAZINGS

Also available P4 and One-way mirror glazings (page 71)



Silver Cube Sand Reflex

ADDITIONAL INFORMATION

Doors without glazing feature embossing.

AVAILABLE FRAMES

No frames available for this door design.

PULL HANDLES	ALFA 60° / 120 / 150	◀ 45°
	BETA 120 / 150	◀ 45°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N*	80	90N	90	100
------	----	-----	----	-----

* Size Unavailable with glazing.

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	T5
OPTIONAL	P2	

PRICING		
DOOR TYPE	GLAZING	15
Normal	—	Price given individually
Premium	✓	Price given individually
Optimum	✓	Price given individually

¹ Cost according to price list. Size unavailable for Termo Prestige Lux series. ² Pull handle ALFA 60 < 45° available only for Termo Prestige Lux series. [▲]Colours available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ^{▲▲}Colour Bleached Oak colour available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ^{▲▲▲}Colour Woodec Oak Turner unavailable for doors with PVC frames.

DESIGN 14

AVAILABLE FRAMES

No frames available for this door design.

GLAZINGS

No glazing available for this door.

PULL HANDLES	ALFA 60 ² / 120 / 150	◁ 45°
	BETA 120 / 150	◁ 45°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	T2
OPTIONAL	P2	T5

PRICING

DOOR TYPE	GLAZING	14
 Normal	—	Price given individually
 Premium	—	Price given individually
 Optimum	—	Price given individually
 Termo Prestige Lux	—	Price given individually

DESIGN 13

AVAILABLE FRAMES

No frames available for this door design.

GLAZINGS

No glazing available for this door.

PULL HANDLES	ALFA 60 ² / 120 / 150	◁ 45°
	BETA 120 / 150	◁ 45°
	MODERN 50	◁ 90°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	T1
OPTIONAL	P2	T5

PRICING

DOOR TYPE	GLAZING	13
 Normal	—	Price given individually
 Premium	—	Price given individually
 Optimum	—	Price given individually
 Termo Prestige Lux	—	Price given individually

AVAILABLE COLOURS		▲▲	▲▲▲								▲			▲
	WHITE	BLEACHED OAK	WOODEC OAK TURNER	WINCHESTER	GOLDEN OAK	WALNUT	MAHOGANY	WENGE	SWAMP OAK	SILVER GRAY	ANTHRACITE SAPPHIRE	PLAIN ANTHRACITE	STRUCTURE ANTHRACITE	MATTE BLACK

DESIGN 12



DESIGN 12A



DESIGN 12B



GLAZINGS Also available P4 and One-way mirror glazings (page 71)

Black Cube	Crystal	Silver Cube	Reflex	Sandblasted	Milky	Standard (transparent)
------------	---------	-------------	--------	-------------	-------	------------------------

AVAILABLE FRAMES

BLACK³ **INOX**

Black Frame Unavailable for Design 12A and 12B.

PULL HANDLES	ALFA 60 ² / 120 / 150	◀ 90° ▶ 45°
	BETA 120 / 150	◀ 90° ▶ 45°
	TORO 120 / 180	◀ 90°
	MODERN 50	◀ 90°
	POCKET 20 / 45 / 180	

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	P5	X2
OPTIONAL	P8		

PRICING				
DOOR TYPE	GLAZING	12	12A	12B
🔒 Premium	✓	Price given individually		
🔒 Optimum	✓	Price given individually		
🔒 Termo Prestige Lux	✓	Price given individually		

DESIGN 12C



GLAZINGS Also available P4 and One-way mirror glazings (page 71)

Black Cube	Crystal	Silver Cube	
Reflex	Sandblasted	Milky	Standard (transparent)

AVAILABLE FRAMES

BLACK³ **INOX**

PULL HANDLES	ALFA 60 ² / 120 / 150	◀ 90° ▶ 45°
	BETA 120 / 150	◀ 90° ▶ 45°
	TORO 120 / 180	◀ 90°
	MODERN 50	◀ 90°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	P5	X2	PT1	T8
OPTIONAL	P8				

PRICING		
DOOR TYPE	GLAZING	12C
🔒 Premium	✓	Price given individually
🔒 Optimum	✓	Price given individually
🔒 Termo Prestige Lux	✓	Price given individually

¹ Cost according to price list. Size unavailable for Termo Prestige Lux series. ² Pull handle ALFA 60 < 45° available only for Termo Prestige Lux series.
 ▲Colours available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ▲▲Colour Bleached Oak colour available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ▲▲▲Colour Woodec Oak Turner unavailable for doors with PVC frames.

DESIGN 11



GLAZINGS Also available P4 and One-way mirror glazings (page 71)



Reflex (Convex) Sand Reflex Diamond

AVAILABLE FRAMES

No frames available for this door design.

ADDITIONAL INFORMATION

Doors without glazing feature embossing.

PULL HANDLES	ALFA 60 ² / 120 / 150	◀ 45°
	BETA 120 / 150	◀ 45°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

- 80N*
- 80
- 90N
- 90
- 100¹

*Size Unavailable for Termo Prestige Lux line. Size Unavailable with glazing.

SIDE PANELS AND PASSIVE LEAVES


- DEDICATED
- FULL
- T5
- OPTIONAL
- P2

PRICING		
DOOR TYPE	GLAZING	11
Normal	—	Price given individually
Premium	✓	Price given individually
Optimum	✓	Price given individually
Termo Prestige Lux	✓	Price given individually

DESIGN 10



GLAZINGS Also available P4 and One-way mirror glazings (page 71)



AVAILABLE FRAMES

No frames available for this door design.

ADDITIONAL INFORMATION

Doors without glazing feature embossing.

PULL HANDLES	ALFA 60 ² / 120 / 150	◀ 45°
	BETA 120 / 150	◀ 45°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

- 80
- 90N
- 90
- 100¹

SIDE PANELS AND PASSIVE LEAVES

- DEDICATED
- FULL
- T4
- T5
- OPTIONAL
- P2

PRICING		
DOOR TYPE	GLAZING	10
Normal	—	Price given individually
Premium	✓	Price given individually
Optimum	✓	Price given individually
Termo Prestige Lux	✓	Price given individually

AVAILABLE COLOURS		▲▲	▲▲▲▲								▲			▲
	WHITE	BLEACHED OAK	WOODEC OAK TURNER	WINCHESTER	GOLDEN OAK	WALNUT	MAHOGANY	WENGE	SWAMP OAK	SILVER GRAY	ANTHRACITE SAPPHIRE	PLAIN ANTHRACITE	STRUCTURE ANTHRACITE	MATTE BLACK

DESIGN 9

DESIGN 9A

DESIGN 9B



GLAZINGS

Also available P4 and One-way mirror glazings (page 71)



AVAILABLE FRAMES

No frames available for this door design.

ADDITIONAL INFORMATION

Doors without glazing feature embossing.

PULL HANDLES	ALFA 60 ² / 120 / 150	◀ 45°
	BETA 120 / 150	◀ 45°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80	90N	90	100 ¹
----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	P1	P3	T4	T5
OPTIONAL	P2				


PRICING				
DOOR TYPE	GLAZING	9	9A	9B
Normal	—	Price given individually		
Premium	✓	Price given individually		
Optimum	✓	Price given individually		
Termo Prestige Lux	✓	Price given individually		

DESIGN 8



GLAZINGS

Also available P4 and One-way mirror glazings (page 71)



Wave Reflex Diamond Reflex Two Cubes

AVAILABLE FRAMES

No frames available for this door design.

ADDITIONAL INFORMATION

Doors without glazing feature embossing.

PULL HANDLES	ALFA 60 ² / 120 / 150	◀ 45°
	BETA 120 / 150	◀ 45°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80	90N	90	100 ¹
----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	T2	T5
OPTIONAL	P2		


PRICING		
DOOR TYPE	GLAZING	8
Normal	—	Price given individually
Premium	✓	Price given individually
Optimum	✓	Price given individually

¹ Cost according to price list. Size unavailable for Termo Prestige Lux series. ² Pull handle ALFA 60 < 45° available only for Termo Prestige Lux series.
 ▲Colours available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ▲▲Colour Bleached Oak colour available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ▲▲▲Colour Woodec Oak Turner unavailable for doors with PVC frames.

DESIGN 7



GLAZINGS Also available P4 and One-way mirror glazings (page 71)



AVAILABLE FRAMES

No frames available for this door design.

ADDITIONAL INFORMATION

Doors without glazing do not feature embossing.

PULL HANDLES	ALFA 60 ² / 120 / 150	◁ 45°
	BETA 120 / 150	◁ 45°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL
OPTIONAL	P1 P2 P3

PRICING		
DOOR TYPE	GLAZING	7
Normal	—	Price given individually
Premium	✓	Price given individually
Optimum	✓	Price given individually
Termo Prestige Lux	✓	Price given individually

DESIGN 6



GLAZINGS Also available P4 and One-way mirror glazings (page 71)



AVAILABLE FRAMES

No frames available for this door design.

ADDITIONAL INFORMATION

Doors without glazing do not feature embossing.

PULL HANDLES	ALFA 60 ² / 120 / 150	◁ 45°
	BETA 120 / 150	◁ 45°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL
OPTIONAL	P2

PRICING		
DOOR TYPE	GLAZING	6
Normal	—	Price given individually
Premium	✓	Price given individually
Optimum	✓	Price given individually
Termo Prestige Lux	✓	Price given individually

AVAILABLE COLOURS		▲▲	▲▲▲▲								▲			▲
	WHITE	BLEACHED OAK	WOODEC OAK TURNER	WINCHESTER	GOLDEN OAK	WALNUT	MAHOGANY	WENGE	SWAMP OAK	SILVER GRAY	ANTHRACITE SAPPHIRE	PLAIN ANTHRACITE	STRUCTURE ANTHRACITE	MATTE BLACK

DESIGN 5



GLAZINGS

Also available P4 and One-way mirror glazings (page 71)



Wave Reflex Leaf Dia-
mond Reflex Two Cubes

AVAILABLE FRAMES

No frames available for this door design.

ADDITIONAL INFORMATION

Doors without glazing feature embossing.

PULL HANDLES	ALFA 60 ² / 120 / 150	◀ 45°
	BETA 120 / 150	◀ 45°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80	90N	90	100 ¹
----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	T4	T5
OPTIONAL	P1	P2	P3


PRICING		
DOOR TYPE	GLAZING	5
Normal	—	Price given individually
Premium	✓	Price given individually
Optimum	✓	Price given individually
Termo Prestige Lux	✓	Price given individually

DESIGN 4



GLAZINGS

Also available P4 and One-way mirror glazings (page 71)



Reflex Diamond
Wave Reflex Two Cubes

AVAILABLE FRAMES

No frames available for this door design.

ADDITIONAL INFORMATION

Doors without glazing feature embossing.

PULL HANDLES	ALFA 60 ² / 120 / 150	◀ 45°
	BETA 120 / 150	◀ 45°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80	90N	90	100 ¹
----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	T4	T5
OPTIONAL	P1	P2	P3

PRICING		
DOOR TYPE	GLAZING	4
Normal	—	Price given individually
Premium	✓	Price given individually
Optimum	✓	Price given individually

¹ Cost according to price list. Size unavailable for Termo Prestige Lux series. ² Pull handle ALFA 60 < 45° available only for Termo Prestige Lux series.
 ▲Colours available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ▲▲Colour Bleached Oak colour available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ▲▲▲Colour Woodec Oak Turner unavailable for doors with PVC frames.

DESIGN 3



GLAZINGS Also available P4 and One-way mirror glazings (page 71)



Wave Reflex Leaf Diamond Reflex Two Cubes

AVAILABLE FRAMES

No frames available for this door design.

ADDITIONAL INFORMATION

Doors without glazing feature embossing.

PULL HANDLES	ALFA 60 ² / 120 / 150	◀ 45°
	BETA 120 / 150	◀ 45°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80N	80	90N	90	100 ¹
-----	----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	T2	T5
OPTIONAL	P1	P2	P3

PRICING		
DOOR TYPE	GLAZING	3
Normal	—	Price given individually
Premium	✓	Price given individually
Optimum	✓	Price given individually
Termo Prestige Lux	✓	Price given individually

DESIGN 2



GLAZINGS Also available P4 and One-way mirror glazings (page 71)



Wave Reflex Leaf Diamond Reflex Two Cubes

AVAILABLE FRAMES

No frames available for this door design.

ADDITIONAL INFORMATION

Doors without glazing feature embossing.

PULL HANDLES	ALFA 60 ² / 120 / 150	◀ 45°
	BETA 120 / 150	◀ 45°

AVAILABLE SIZES (WIDTH OF DOOR LEAF)

80	90N	90	100 ¹
----	-----	----	------------------

SIDE PANELS AND PASSIVE LEAVES

DEDICATED	FULL	T4	T5
OPTIONAL	P1	P2	P3

PRICING		
DOOR TYPE	GLAZING	2
Normal	—	Price given individually
Premium	✓	Price given individually
Optimum	✓	Price given individually
Termo Prestige Lux	✓	Price given individually

AVAILABLE COLOURS	WHITE	BLEACHED OAK	WOODEC OAK TURNER	WINCHESTER	GOLDEN OAK	WALNUT	MAHOGANY	WENGE	SWAMP OAK	SILVER GRAY	ANTHRACITE SAPPHIRE	PLAIN ANTHRACITE	STRUCTURE ANTHRACITE	MATTE BLACK
-------------------	-------	--------------	-------------------	------------	------------	--------	----------	-------	-----------	-------------	---------------------	------------------	----------------------	-------------

DESIGN 1



PULL HANDLES	ALFA 60 ² / 120 / 150	◀ 45° ▶ 90°
	BETA 120 / 150	◀ 45° ▶ 90°
	OMEGA 150	◀ 90°
	GAMMA 60 / 150	◀ 90°
	SIGMA 90 / 150	◀ 90°
	TORO 120 / 180	◀ 90°
	MODERN 50	◀ 90°
	POCKET 20 / 45 / 180	

GLAZINGS
No glazing available for this door.

AVAILABLE FRAMES
No frames available for this door design.

AVAILABLE SIZES (WIDTH OF DOOR LEAF)
80N 80 90N 90 100¹

SIDE PANELS AND PASSIVE LEAVES
DEDICATED ALL

PRICING		
DOOR TYPE	GLAZING	1
Normal	—	Price given individually
Premium	—	Price given individually
Optimum	—	Price given individually
Termo Prestige Lux	—	Price given individually

CAMELEON DOORS

CAMELEON DOORS

IN A COLOUR FROM YOUR DREAMS FROM RAL PALETTE!



Possibility of manufacturing **CAMELEON** doors with or without embossing or glazing (only designs with stainless steel INOX and BLACK frame).



Dowiedz się więcej

Starting price of the **CAMELEON** door is the base price for a given model with standard accessories.
Caution - increased wait time for the door. List of available colors after consulting the sales department.

EXTRA PAYMENT Normal | Premium | Optimum | Termo Prestige Lux
Priced individually Priced individually

CAMELEON NORMAL doors feature standard accessories from NORMAL series with the difference that **CAMELEON** NORMAL are fit with only one lock (only main lock). **CAMELEON** PREMIUM doors feature standard accessories from PREMIUM series. **CAMELEON** OPTIMUM doors feature standard accessories from OPTIMUM series. Doors with glazing possible only with the designs featuring INOX and BLACK frame. **CAMELEON** TERMO PRESIGE LUX doors feature standard accessories from TERMO PRESIGE LUX series. Doors with glazing possible only with the designs featuring INOX and BLACK frame.

AVAILABLE SIZES (WIDTH OF DOOR LEAF)
80N 80 90N 90 100¹

¹ Cost according to price list. Size unavailable for Termo Prestige Lux series. ² Pull handle ALFA 60 < 45° available only for Termo Prestige Lux series.
³ Colours available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ⁴ Colour Bleached Oak available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. ⁵ Colour Woodec Oak Turner unavailable for doors with PVC frames.





Normal
 Premium
 Optimum
 Termo Prestige Lux

Design 1	Price given individually		
Design 2	Price given individually		
Design 3	Price given individually		
Design 4	Price given individually	-	-
Design 5	Price given individually		
Design 6	Price given individually		
Design 7	Price given individually		
Design 8	Price given individually		
Design 9	Price given individually		
Design 10	Price given individually		
Design 11	Price given individually		
Design 13	Price given individually		
Design 14	Price given individually		
Design 15	Price given individually	-	
Design 16	Price given individually	-	
Design 17	Price given individually	-	
Design 18	Price given individually		
Design 26 A	Price given individually		
Design 26 B	Price given individually		
Design 26 C	Price given individually		
Design 26 D	Price given individually		
Design 26 E	Price given individually		
Design 26 F	Price given individually		
Design 26 G	Price given individually		
Design 27	Price given individually		
Design 28	Price given individually		
Design 33	Price given individually		
Design 34	Price given individually		
Design 42	Price given individually		

Normal
 Premium
 Optimum
 Termo Prestige Lux

Design 12	Price given individually		
Design 12 A	Price given individually		
Design 12 B	Price given individually		
Design 12 C	Price given individually		
Design 19	Price given individually		
Design 20	Price given individually		
Design 21 21 A	Price given individually		
Design 22 22 B	Price given individually		
Design 22 A	Price given individually		
Design 23 23 A	Price given individually		
Design 24	Price given individually		
Design 25 25 A	Price given individually		
Design 25B 25C	Price given individually		
Design 26	Price given individually		
Design 29*	Price given individually		
Design 30	Price given individually		
Design 31 31 A	Price given individually		
Design 32	Price given individually		
Design 32A 32 B	Price given individually		
Design 35	Price given individually		
Design 36	Price given individually		
Design 37 37 A	Price given individually		
Design 38 38 A	Price given individually		
Design 39	Price given individually		
Design 39A 39B	Price given individually		
Design 40 40A	Price given individually		
Design 41	Price given individually		
Design 41A 41B	Price given individually		

* INOX (stainless steel) frame on the one side and PVC frame on the other side.



WIKĘD LOOKBOOK

Explore sample applications of our doors.
Get inspired and create Your own unique combination of design, accessories and colours!




SOLUTIONS DEDICATED FOR TERMO FRAME

Sidelights available only with TERMO frame.

When using TERMO frame it is possible to connect with one-leaf doors, two-leaf doors and doors with passive side panels. Made with warm aluminium TERMO profile. Available in all colours. Every sidelight comes with three glass pane unit. Prices include installation kit.

There is a possibility of manufacturing sidelights and top lights in non-standard dimensions (in between those shown in table below). Cost of sidelight with non-standard dimensions varies.


WORTH KNOWING

It is good to choose the right sidelight as early as during design phase. It will allow to reduce installation costs.


TOP SIDELIGHTS

↑ ↓	925 (100 80)	1025 (100 90)	1125 (100 100)	1225	1325	1425	1525	1625	1725	1825	1925	2025	2125	2225	2325	2425	2525	2625
200	Price given individually																	
300	Price given individually																	
400	Price given individually																	
500	Price given individually																	

SIDELIGHTS

↑ ↓	200	300	400	500	600	700	800
2077	Price given individually						

SIDELIGHTS HIGHER THAN STANDARD ONES

↑ ↓	200	300	400	500	600	700	800
2200	Price given individually						
2300	Price given individually						
2400	Price given individually						

AVAILABLE GLAZINGS IN SIDELIGHTS

1. Standard (transparent glass) 4ESG/16/4/14/TF4
2. Milky 4ESG/16/4 MAT/14/TF4
3. Reflex 4ESG/16/4 Reflex brown/14/TF4
4. Sandblasted glazing with pattern 4ESG/16/4 Sand/14/TF4 (not available for 26E)
5. Panel in colour of sidelight
6. 4ESG/16/4 Fully sandblasted/ 14/TF4
7. Glass Design 4ESG/16/4/14/TF4 (additional fee)



TOP SIDELIGHTS

	961 (H80)	1061 (H90)	1161 (H100)	1261	1361	1461	1561	1661	1761	1861	1961	2061	2161	2261	2361	2461	2561	2661
200	Price given individually																	
300	Price given individually																	
400	Price given individually																	
500	Price given individually																	

SIDELIGHTS

	200	300	400	500	600	700	800
2100	Price given individually						

SIDELIGHTS HIGHER THAN STANDARD ONES

	200	300	400	500	600	700	800
2200	Price given individually						
2300	Price given individually						
2400	Price given individually						

AVAILABLE GLAZINGS IN SIDELIGHTS

1. Standard (transparent glass) 4ESG/20/4/20/TF4
2. Milky 4ESG/20/4 MAT/20/TF4
3. Reflex 4ESG/20/4 Reflex brown/20/TF4
4. Sandblasted glazing with pattern 4ESG/20/4 Sand/20/TF4 (not available for 26E)
5. Panel in colour of sidelight
6. 4ESG/20/4 Fully sandblasted/ 20/TF4
7. Glass Design 4ESG/20/4/20/TF4 (additional fee)

TOP SIDELIGHTS

	983 (H80)	1083 (H90)	1183	1283	1383	1483	1583	1683	1783	1883	1983	2083	2183	2283	2383	2483	2583	2683
200	Price given individually																	
300	Price given individually																	
400	Price given individually																	
500	Price given individually																	

SIDELIGHTS

	200	300	400	500	600	700	800
2100	Price given individually						

SIDELIGHTS HIGHER THAN STANDARD ONES

	200	300	400	500	600	700	800
2200	Price given individually						
2300	Price given individually						
2400	Price given individually						

AVAILABLE GLAZINGS IN SIDELIGHTS

1. Standard (transparent glass) 4ESG/20/4/20/TF4
2. Milky 4ESG/20/4 MAT/20/TF4
3. Reflex 4ESG/20/4 Reflex brown/20/TF4
4. Sandblasted glazing with pattern 4ESG/20/4 Sand/20/TF4 (not available for 26E)
5. Panel in colour of sidelight
6. 4ESG/20/4 Fully sandblasted/ 20/TF4
7. Glass Design 4ESG/20/4/20/TF4 (additional fee)

EXPLORE OPTIONAL ACCESORIES

Double-leaf doors have the standard equipment of the PREMIUM series, they can be used both with „9” and „11” frames as well as TERMO (additional payment dedicated for frame Termo).

In the models shown it is possible to order a passive wing in the full version without embossing, pressed or with glazing.

In the door with the TERMO door frame it is possible to order the upper and side snails (additional payment applies). The passive leaf is an opening element.

AVAILABLE VENEER COLOURS

WHITE	BLEACHED OAK	WOODEC OAK TURNER	WINCHESTER	GOLDEN OAK	WALNUT	MAHOGANY	WENGE
SWAMP OAK	SILVER GRAY	ANTHRACITE SAPPHIRE	PLAIN ANTHRACITE	ANTHRACITE STRUCTURE	MATTE BLACK		

△ Colours available only for Premium line with Termo Frame. Colours are not available for glazed doors with PCV frame. △△ Bleached Oak colour available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. △△△ Colour Woodec Oak Turner unavailable for doors with PVC frames.

PASSIVE DOOR LEAF	PASSIVE DOOR LEAF WITH EMBOSING AND GLAZING				GLAZED PASSIVE DOOR LEAF							
FULL	PT 1	PT 2	PT 3	PT 4	P 1	P 2	P 3	P 4	P 5	P 6	P 7	P 8

PASSIVE DOOR LEAF WITH EMBOSING								PASSIVE DOOR LEAF WITH INOX APPLICATION WITHOUT GLAZING					
T 1	T 2	T 3	T 4	T 5	T 6	T 7	T 8	X 1	X 2	X 3	X 4	X 5	X 6
Dedicated for Design 13	Dedicated for Design 3, 8, 14	Dedicated for Design 26	Dedicated for Design 2, 4, 5, 9, 10, 33, 34	Dedicated for Design 11, 15, 16, 17, 18, 27, 28	Dedicated for Design 22B, 31A	Dedicated for Design 37, 38	Dedicated for Design 12C						


AVAILABLE BLACK FRAMES FOR PASSIVE DOOR LEAF

P6 P7 X3 X6

AVAILABLE MODELS FOR GLAZING IN PASSIVE DOOR LEAF

REFLEX, REFLEX (CONVEX), MILKY	P1 P3	STANDARD (TRANSPARENT), SANDBLASTED (CONSISTENT WITH DESIGN), REFLEX, MILKY, SANDBLASTED	P4 P5 P6 P7 P8
STANDARD (TRANSPARENT), REFLEX, MILKY, FULLY SANDBLASTED	P2	CRYSTAL, SILVER CUBE, BLACK CUBE	PT1 PT2 P4 P5
STANDARD (TRANSPARENT), REFLEX, SANDBLASTED, SANDBLASTED (CONSISTENT WITH DESIGN), MILKY	PT1 PT2 PT3 PT4		

DOUBLE EXTERNAL PREMIUM DOORS CONSTRUCTION



AVAILABLE SIZES OF DOUBLE DOORS

SET WIDTH	ACTIVE LEAF WIDTH	PASSIVE LEAF WIDTH
110	80	30
	90	30
120	80	40
	80	50
130	90	40
	100	30
140	80	60
	90	50
150	100	40
	90	60
160	100	50
	100	60

There is a possibility of making other glazing in the passive leaf than listed (only after consultation with the sales department).

IMPORTANT INFORMATION

For the price of the selected design of single-wing doors from the PREMIUM line (the price of a door without glazing or the price of a door with glazing), the price of the selected passive wing should be added in accordance with the table below and if the door is to be equipped with a TERMO frame surcharge from the last column.

DESIGN	SINGLE WING DOOR PRICE		ADDITIONAL FEE FOR DOUBLE-LEAF DOORS			EXTRA FEE FOR TERMO FRAME
	DOORS WITHOUT GLAZING	DOORS WITH GLAZING	PASSIVE LEAF WITHOUT EMBOSSEING	PASSIVE LEAF WITH EMBOSSEING	PASSIVE LEAF WITH GLAZING	
DESIGN 1	Price given individually	-		Price given individually		
DESIGN 2, 3, 4, 5, 33, 34B			Price given individually			
DESIGN 6, 33A, 34			Price given individually			
DESIGN 7, 8, 10, 34A, 42			Price given individually			
DESIGN 9, 9A, 11, 15, 16, 17, 18			Price given individually			
DESIGN 9B			Price given individually			
DESIGN 19, 20, 21, 21A, 23, 23A, 35, 39, 39A, 39B			Price given individually			
DESIGN 12, 22, 24, 25, 26, 30, 31, 32, 36, 37, 38, 40, 41, 42			Price given individually			
DESIGN 12A			Price given individually			
DESIGN 12B			Price given individually			
DESIGN 13, 14, 26C, 26D, 27, 28			Price given individually			
DESIGN 22A			Price given individually			
DESIGN 29			Price given individually			
DESIGN 32, 32A, 32B, 40, 40A, 41, 41A, 41B	Price given individually	-		Price given individually		
DESIGN 31, 31A			1779** 1979*** Price given individually			
CAMELEON PREMIUM			Price given individually			



EXTERIOR DOOR WITH PASSIVE PLAIN SIDE LEAF

EXPLORE OPTIONAL ACCESORIES

Doors with passive plain side leaf contain the PREMIUM series standard equipment and are always available with TERMO frames (extra charge to the TERMO frame according to the rates). Passive plain side leaf may be present on one side or both sides of main door leaf. Both TERMO door frame and passive plain side leaf frame are combined in the same way as with sidelights and transoms.

Passive plain side door leaf available in width 30, 40, 50 and 60. Availability depends on door line.




AVAILABILITY OF THE FOLLOWING WIDTHS ONLY FOR PREMIUM LINES. FOR OPTIMAL AND THERMO PRESTIGE LUX LINES, AVAILABLE WIDTHS AFTER CONSULTATION WITH THE SALES DEPARTMENT.

	PASSIVE PLAIN SIDE LEAF	PASSIVE PLAIN SIDE LEAF WITH EMBOSING AND GLAZING				GLAZED PASSIVE PLAIN SIDE LEAF							
		PT 1	PT 2	PT 3	PT 4	P 1	P 2	P 3	P 4	P 5	P 6	P 7	P 8
PREMIUM Available width	30, 40, 50, 60	40, 50, 60	40, 50, 60	40, 50, 60	40, 50, 60	40, 50, 60	40, 50, 60	40, 50, 60	40, 50, 60	40, 50, 60	30, 40, 50, 60	40, 50, 60	40, 50, 60
OPTIMUM Available width	30, 40, 50, 60	50, 60	50, 60	50, 60	50, 60	50, 60	50, 60	50, 60	50, 60	50, 60	40, 50, 60	50, 60	50, 60
TERMO PRESTIGE LUX Available width	30, 40, 50, 60	50, 60	50, 60	50, 60	50, 60	50, 60	50, 60	50, 60	50, 60	50, 60	40, 50, 60	50, 60	50, 60

PASSIVE PLAIN SIDE LEAF WITH EMBOSING



PASSIVE PLAIN SIDE LEAF WITH INOX, WITHOUT GLAZINGS



ONE-SIDED INOX

PREMIUM Available width	30, 40, 50, 60	30, 40, 50, 60	30, 40, 50, 60	30, 40, 50, 60	30, 40, 50, 60	30, 40, 50, 60	30, 40, 50, 60	30, 40, 50, 60	-	40, 50, 60	40, 50, 60	40, 50, 60	40, 50, 60	30, 40, 50, 60
OPTIMUM Available width	40, 50, 60	40, 50, 60	30, 40, 50, 60	40, 50, 60	40, 50, 60	30, 40, 50, 60	30, 40, 50, 60	30, 40, 50, 60	-	50, 60	50, 60	40, 50, 60	50, 60	40, 50, 60
TERMO PRESTIGE LUX Available width	40, 50, 60	40, 50, 60	30, 40, 50, 60	40, 50, 60	40, 50, 60	30, 40, 50, 60	30, 40, 50, 60	30, 40, 50, 60	-	50, 60	50, 60	40, 50, 60	50, 60	40, 50, 60

TWO-SIDED INOX

PREMIUM Available width	40, 50, 60	40, 50, 60	40, 50, 60	40, 50, 60	40, 50, 60	30, 40, 50, 60
OPTIMUM Available width	50, 60	50, 60	50, 60	40, 50, 60	50, 60	40, 50, 60
TERMO PRESTIGE LUX Available width	50, 60	50, 60	50, 60	40, 50, 60	50, 60	40, 50, 60



BLACK FRAMES AVAILABLE ONLY FOR CHOSEN SIDE PANELS

- PT4
- P5
- P6
- P7
- P8
- X3
- X6

AVAILABLE VERNEER COLOURS														
	WHITE	BLEACHED OAK	WOODEC OAK TURNER	WINCHESTER	GOLDEN OAK	WALNUT	MAHOGANY	WENGE	SWAMP OAK	SILVER GRAY	ANTHRACITE SAPPHIRE	PLAIN ANTHRACITE	STRUCTURE ANTHRACITE	MATTE BLACK

AVAILABLE SIZES OF PASSIVE PLAIN SIDE LEAF

- REFLEX, REFLEX (CONVEX), MILKY
 - P1 P3
- STANDARD (TRANSPARENT), REFLEX, MILKY, FULLY SANDBLASTED
 - P2
- STANDARD (TRANSPARENT), REFLEX, FULLY SANDBLASTED, MILKY SANDBLASTED (CONSISTENT WITH DESIGN)
 - PT1 PT2 PT3 PT4

- STANDARD (TRANSPARENT), SANDBLASTED (CONSISTENT WITH DESIGN), REFLEX, MILKY, FULLY SANDBLASTED
 - P4 P5 P6 P7 P8
- CRYSTAL, SILVER CUBE, BLACK CUBE
 - PT1 PT2 P4 P5


PREMIUM SAND PANELS

AVAILABLE SIZES OF PASSIVE PLAIN SIDE LEAF

SET WIDTH	LEAF WIDTH	PASSIVE PLAIN SIDE LEAF WIDTH
1525	80	30 + 30
1625	90	30 + 30
1725	80	40 + 40
	100	30 + 30
1825	90	40 + 40
	100	40 + 40
1925	80	50 + 50

Passive plain side leaf width e.g. 40 cm means that the side leaf with frame has on the outer side total width 40 cm.

DETAILED FEATURES OF PREMIUM TERMO DOORS ON PAGE 9




OPTIMUM SIDE PANELS

AVAILABLE SIZES OF PASSIVE PLAIN SIDE LEAF

SET WIDTH	LEAF WIDTH	PASSIVE PLAIN SIDE LEAF WIDTH
1761	80	40 + 40
1861	90	40 + 40
1961	100	40 + 40
	800	50 + 50
		ETC.

Passive plain side leaf width e.g. 40 cm means that the side leaf with frame has on the outer side total width 40 cm.

DETAILED FEATURES OF OPTIMUM TERMO DOORS ON PAGE 7




TERMO PRESTIGE LUG SIDE PANELS

AVAILABLE SIZES OF PASSIVE PLAIN SIDE LEAF

SET WIDTH	LEAF WIDTH	PASSIVE PLAIN SIDE LEAF WIDTH
1783	80	40 + 40
1883	90	40 + 40
1983	80	50 + 50
		ETC.

Passive plain side leaf width e.g. 40 cm means that the side leaf with frame has on the outer side total width 40 cm.

DETAILED FEATURES OF TERMO PRESTIGE LUX DOORS ON PAGE 6



△ Colours available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame. Colours not available for glazed doors with PCV frame.
 △△ Colour Bleached Oak colour available only for Termo Prestige Lux, Optimum with Termo frame and Premium with Termo frame.
 △△△ Colour Woodec Oak Turner unavailable for doors with PVC frames.

WAY OF OPENING DOORS WITH PULL-HANDLE

 Door opened from outside by pulling the handle

 Door opened with a key

 Outside

 Inside


1 Handle - Pull handle



2 Double-sided Pull-handle



3 Pull-handle - pull handle or both sides pull handle with a door strike (roller latch & day-and-night function)



Roller latch function requires door closer.

4 Handle - Pull handle or both sides pull handle with a door strike



5 Pull handle with a button (one or both sides)



6 Door with automatic opening system



Roller latch function requires door closer. Door strike requires dedicated power supply. Opened with, for example, an intercom.



Door strike is connected to a power supply.



Kit contains fingerprint scanner, contactless system, keypad. Applies only for Termo Prestige Lux. Doors equipped with automatic lock.


7 Pull handle with a button and automatic 3-point-lock system



8 Doors for external control opening



9 Automatic doors controlled by a pull handle



Button in the grip operates the locks. Available only for Termo Prestige Lux doors.



To operate, connect door to an external controller (e.g. WiKeys). Available only for Termo Prestige Lux doors. The doors are equipped with an automatic espagnolette.



Set contains a pull handle with fingerprint reader. Available only for Termo Prestige Lux and Optimum Termo equipped with automatic locks or memory electric strike.



ACCESSORIES FOR AN ADDITIONAL CHARGE

NAME AND DESCRIPTION	 PREMIUM NORMAL	 OPTIMUM	 TERMO PRESTIGE LUX
 <p>Access control WiKeys The set includes a central unit and an application enabling remote management of doors, blinds, garage or entry gate, alarm, etc.</p>	Price given individually		
 <p>Intelligent Tapkey cylinder Set contains a cylinder with a mechatronic handle, transponders (3 pcs.), owner's card, smartphone app and accessories necessary for installation. System supports encrypted NFC connections and Bluetooth.</p>	Price given individually		
 <p>Biometric system (Fingerprint scanner) Opening with a fingerprint</p>	-	-	Price given individually
 <p>Passcode system Opening with a code input on keyboard</p>	-	-	Price given individually
 <p>Contactless system Opening with a transponder (2 pieces included) or, for example, a car key</p>	-	-	Price given individually
 <p>Automatic lock with electric drive for external management Set contains: lock with electric drive, proper wiring Available for Termo Prestige Lux only. Does not require the use of electric strikes. Automatic espagnolette as standard.</p>	-	-	Price given individually
 <p>Automatic lock with electric drive for handrail with button Set contains: lock with electric drive, proper wiring Available for Termo Prestige Lux only. Does not require the use of electric strikes. Automatic espagnolette as standard. A handrail with a button must be additionally chosen for the set.</p>	-	-	Price given individually
 <p> WISMArt Doors access control system System uses μWIFI. Compatible with all WIKED electric strikes. Can be used with Facebook, Google or email accounts.</p>	Price given individually		
 <p> WISMArt Shutters access control system System uses μWIFI. Compatible with all WIKED electric strikes. Can be used with Facebook, Google or email accounts.</p>	Price given individually		
 <p> WISMArt Shutters access control system DC System uses μWIFI. Compatible with all WIKED electric strikes. Can be used with Facebook, Google or email accounts. Requires 12V power supply.</p>	Price given individually		
 <p> WISMArt Gates access control system System uses μWIFI. Compatible with all WIKED electric strikes. Dedicated for garage doors and WIKED automatic lock. Can be used with Facebook, Google or email accounts.</p>	Price given individually		
 <p>Square pull handle Beta 150 cm with fingerprint reader Mounting angle: 90°. Colour: INOX (stainless steel). For Termo Prestige Lux the set contains programmer, power supply and Automatic lock or three electric strikes with memory - depending on the chosen option. ⚠ For Optimum Termo doors the set is available only with Termo frame and contains programmer, power supply and electric strike with memory.</p>		 Price given individually	Price given individually

STANDARD ACCESSORIES INCLUDED IN THE PRICE OF DOORS

NAME AND DESCRIPTION		 PREMIUM NORMAL	 OPTIMUM	 TERMO PRESTIGE LUX
	Handle Prime Available colours: Old Gold / INOX (stainless steel)	Price given individually		
	Handle Tahoma Available colours: Old Gold / INOX (stainless steel)	Price given individually		
	Handle Manitoba Available colours: INOX (stainless steel) / Old Gold / Titan	Price given individually		
	Handle Magnus Available colours: INOX (stainless steel) / Old Gold / Titan	Price given individually		
	Cylinder (30/45) / Cylinder-Knob (30/45) Single key system	Price given individually	-	-
	Cylinder WILKA (30/45) / Cylinder-Knob (30/45) Single key system. 5 keys included.	Price given individually	-	-
	Cylinder WILKA (50/50) / Cylinder-Knob (50/50) Single key system. 5 keys included.	-	Price given individually	-
	Cylinder-Knob or double-sided Cylinder WILKA (55/55) Single key system. 3 keys included.	-	-	Price given individually
	Aluminum threshold with a seal	Price given individually	-	-
	PCV threshold with a seal Dedicated for frame Termo	Price given individually	-	-
	Aluminum threshold with a seal Dedicated for frame Termo	Price given individually	-	-
	Aluminum threshold	-	Price given individually	-
	Warm threshold with thermal PCV/ALU barrier Dedicated for frame Termo	-	Price given individually	
	Steel door frame 9, 11	Price given individually	-	
	Steel door frame 12	-	Price given individually	-
	Aluminum door frame Termo	-	-	Price given individually



ACCESSORIES FOR AN ADDITIONAL CHARGE

NAME AND DESCRIPTION		PREMIUM NORMAL	OPTIMUM	TERMO PRESTIGE LUX
	Doors higher than standard height Maximum height with frame (Hc) up to 2400 mm. Only available with Termo frame. Applies to single-wing doors and doors with transoms. Premium doors surcharge applies.	Price given individually		
	Hidden hinges (set) Set contains 2 pcs. If the doors is higher than 2200mm - 3 pcs. are equired.	-	-	Price given individually
	Installation set for hidden hinges Reusable set required to install doors equipped with hidden hinges.	-	-	Price given individually
	Insulated frame Termo Premium Doors	Price given individually	-	-
	Insulated frame Termo Optimum Doors	-	Price given individually	-
	Handle Manitoba Colour: Black	Price given individually		
	Handle Magnus Colour: Black	Price given individually		
	Handle Prestige class C (without anti-drill) Colours: Titan, Old Gold, INOX (stainless steel)	Price given individually		
	Handle Prestige class C (without anti-drill) Colours: Titan, Old Gold, INOX (stainless steel)	Price given individually		
	Handle Prestige class C (anti-drill) Colour: Black	Price given individually		
	Handle Magnus class C (anti-drill) Colours: Old Gold, INOX (stainless steel)	Price given individually		
	Handle-knob class C Colours: Old Gold, INOX (stainless steel)	Price given individually	-	-
	C class insert (anti-drill, for double-sided handrails) Colour: INOX	Price given individually		
	C class insert (anti-drill, for double-sided handrails) Colour: Black	Price given individually		
	Handle-Cylinder Colours: Titan, Old Gold, INOX (stainless steel)	Price given individually		
	Cylinder (30/45) + Cylinder-Knob (30/45) Wilka class C Single key system. 5 keys included.	Price given individually	-	-
	Cylinder (50/50) + Cylinder-Knob (50/50) Wilka class C Single key system. 5 keys included.	-	Price given individually	-
	Cylinder-Knob or double-sided Cylinder Wilka class C Single key system. 3 keys included.	-	-	Price given individually
	Wilka Black Cylinder Single key system. One cylinder or set of cylinders depending on the door series.	Price given individually		
	Wilka Black Cylinder class C Single key system. One cylinder or set of cylinders depending on the door series.	Price given individually		
	WIKED Investlock cylinder class C Contains 5 investor keys plus 2 construction keys. Single lock or set of locks depending on door series.	Price given individually		

ACCESSORIES FOR AN ADDITIONAL CHARGE

NAME AND DESCRIPTION		 PREMIUM NORMAL	 OPTIMUM	 TERMO PRESTIGE LUX
	Round handrail Alfa 60 cm Mounting angle: 45° or 90° Colour: INOX (stainless steel)	Price given individually ¹		Price given individually
	Round handrail Alfa 120 cm Mounting angle: 45° or 90° Colour: INOX (stainless steel)	Price given individually		
	Round handrail Alfa 150 cm Mounting angle: 45° or 90° Colour: INOX (stainless steel)	Price given individually		
	Round handrail Alfa 150 cm with button Mounting angle: 45° or 90° Colour: INOX (stainless steel) It requires the use of an electric lock and power supply or an automatic espagnolette (available only for the Termo Prestige Lux line)	Price given individually		
	Round handrail Alfa 120 cm Mounting angle: 45° or 90° Colour: Black	Price given individually		
	Round handrail Alfa 150 cm Mounting angle: 45° or 90° Colour: Black	Price given individually		
	Round handrail Alfa 150 cm with button Mounting angle: 45° or 90° Colour: Black It requires the use of an electric lock and power supply or an automatic espagnolette (available only for the Termo Prestige Lux line)	Price given individually		
	Rectangular handrail Beta 120 cm Mounting angle: 45° or 90° Colour: INOX (stainless steel)	Price given individually		
	Rectangular handrail Beta 150 cm Mounting angle: 45° or 90° Colour: INOX (stainless steel)	Price given individually		
	Rectangular handrail Beta 150 cm with button Mounting angle: 45° or 90° Colour: INOX (stainless steel) It requires the use of an electric lock and power supply or an automatic espagnolette (available only for the Termo Prestige Lux line)	Price given individually		
	Square pull handle Beta 150 cm with fingerprint reader Mounting angle: 90°. Colour: INOX (stainless steel). More information: page 65.	-	More information: page 65	
	Rectangular handrail Beta 120 cm Mounting angle: 45° or 90° Colour: Black	Price given individually		
	Rectangular handrail Beta 150 cm Mounting angle: 45° or 90° Colour: Black	Price given individually		
	Rectangular handrail Beta 150 cm with button Mounting angle: 45° or 90° Colour: Black It requires the use of an electric lock and power supply or an automatic espagnolette (available only for the Termo Prestige Lux line)	Price given individually		
	Pull handle (arc) Omega 150 cm Dedicated to designs: 36, 38 Colour: INOX	Price given individually		
	Pull handle (arc) Gamma 60 cm Dedicated to designs: 31 Colour: INOX	Price given individually		
	Pull handle (arc) Gamma 150 cm Dedicated to designs: 31 Colour: INOX	Price given individually		
	Pull handle (arc) Sigma 90 cm Dedicated to designs: 21 A, 23 A Colour: INOX	Price given individually		
	Pull handle (arc) Sigma 150 cm Dedicated to designs: 21 A, 23 A Colour: INOX	Price given individually		



ACCESSORIES FOR AN ADDITIONAL CHARGE

NAME AND DESCRIPTION		PREMIUM NORMAL	OPTIMUM	TERMO PRESTIGE LUX
	Round handrail Toro 120 cm Mounting angle: 90° Colour: INOX			Price given individually
	Round handrail Toro 180 cm Mounting angle: 90° Colour: INOX			Price given individually
	Horizontal pull handle flush with leaf surface Pocket width 20 cm Dedicated to chosen designs. When choosing this handle, doors cannot be shortened. Colour: INOX. Version with a button requires using an electric strike and a power supply or automatic lock (available only for Termo Prestige Lux doors)	-		Price given individually
	Vertical pull handle flush with leaf surface, height 45 cm Dedicated to chosen designs. When choosing this handle, doors cannot be shortened. Colour: INOX. Version with a button requires using an electric strike and a power supply or automatic lock (available only for Termo Prestige Lux doors)	-		Price given individually
	Vertical pull handle flush with leaf surface, height 180 cm Dedicated to chosen designs. When choosing this handle, doors cannot be shortened. Colour: INOX. Version with a button requires using an electric strike and a power supply or automatic lock (available only for Termo Prestige Lux doors)	-		Price given individually
	Horizontal pull handle Modern Simple 50 cm Dedicated to chosen designs. When choosing this handle, doors cannot be shortened. Colour: INOX. Version with a button requires using an electric strike and a power supply or automatic lock (available only for Termo Prestige Lux doors)			Price given individually
	Horizontal pull handle Modern Elegance 50 cm Dedicated to chosen designs. When choosing this handle, doors cannot be shortened. Colour: INOX. Version with a button requires using an electric strike and a power supply or automatic lock (available only for Termo Prestige Lux doors)			Price given individually
	Electronic Spyhole with LCD display 4 inches LCD screen, infrared camera. After pressing the bell below the camera, it saves up to 50 photos.			Price given individually
	Wide-angle spyhole Colours: Gold, Silver			Price given individually
	Electronic doorstrike with the roll function Rated voltage: 8-12V AC when using the roll function, a self-closing device is required.			Price given individually
	Inside box radio transmitter (4 channels)			Price given individually
	Radio gate receiver			Price given individually
	Inside box shutters controller			Price given individually
	Universal power supply for electronic doorstrike Mounted in an electrical box Ø min. 70 mm Necessary for the use of a handle with button or electric lock (connected to the power supply)			Price given individually
	Contact sensor Colours: White, Brown, Anthracite			Price given individually
	Corner adaptor TERMO 90° Allows to connect TERMO PRESTIGE frame with TERMO PRESTIGE sidelight at 90° angle.			Price given individually
	Termo Width Extension 30 mm Width extension profiles connecting to Termo Prestige frames and sidelights, allowing overall dimension control.			Price given individually
	Termo Width Extension 50 mm Width extension profiles connecting to Termo Prestige frames and sidelights, allowing overall dimension control.			Price given individually
	Termo Width Extension 114 mm Width extension profiles connecting to Termo Prestige frames and sidelights, allowing overall dimension control.			Price given individually

ACCESSORIES FOR AN ADDITIONAL CHARGE

NAME AND DESCRIPTION		 PREMIUM NORMAL	 OPTIMUM	 TERMO PRESTIGE LUX
	15 mm PCV sub threshold extension Height: 15 mm	-	Price given individually For Optimum PCV sub threshold extension option is available only with Termo Frame.	
	30 mm PCV sub threshold extension Height: 30 mm	-	Price given individually	
	60 mm PCV sub threshold extension Height: 60 mm	-	Price given individually	
	120 mm PCV sub threshold extension Height: 120 mm	-	Price given individually	
	Subthreshold widening made of KLINARYT Available for all thresholds and sidelights. Available heights: 70 - 250 mm (only in 120 cm pieces). For proper connection of grain flow with the threshold it is necessary to use a BOSTIK adhesive connection.	Price given individually		
	BOSTIK glue Glue for subthreshold widenings made from KLINARYT. Colour: Gray	Price given individually		
	Taśma rozprężna ISO-BLOCO ONE Width: 54 mm (Termo Frame for Premium line) Width: 74 mm (Termo Frame for Optimum and Termo Prestige Lux line) Optimum range of expansion: 5-30 mm. Roll length: 6 m.	Price given individually		
	Tape for warm assembly ISO-CONNECT VARIO SD COMPLETE DUO version Width: 100 mm. Roll length: 30 m. It does not require usage of additional adhesives.	Price given individually		
	Widenings of subthreshold (PCV and ALU) Height: 30 mm Possibility to connect with each other in any height.	Price given individually	-	-
	Door closer Colours: Brown, Silver Unavailable for the door frame "9" Reinforcement for door closer needed.	Price given individually		-
	Door closer hidden battened Colour: Silver Door closer invisible after closing the doors. Reinforcement for door closer needed.	-	Price given individually Available for frame Termo only	Price given individually
	Door closer battened Colour: Silver Unavailable for the door frame "9" Reinforcement for door closer needed.	Price given individually		
	Wood-aluminium threshold Height: 20 mm. Colour: Oak. Available for the steel door frame "9" and "11" only. Designed for doors that open outwards.	Price given individually	-	-
	Bottom lock of a leaf To shorten the door on one's own (only single door leaf)	Price given individually	-	-
	Shortening the single-leaf door Max: 10 cm. A shorter abbreviation is possible for selected Premium doors - more information in the sales department (option at extra cost). The abbreviation above 10 cm results in the loss of the upper lock in the Premium door.	Price given individually	Price given individually Max. 10 cm	Price given individually Max. 10 cm
	Shortening the double-leaf door Max: 20 cm Each door abbreviation results in the loss of the upper lock in the door. The maximum abbreviation of 20 cm applies to selected designs - details in the sales department.	Price given individually Max. 20 cm	-	-
	100" Doors 1000 mm wide door leaf	Price given individually		-
	Reinforcement for door closer	Price given individually		



ACCESSORIES FOR AN ADDITIONAL CHARGE

NAME AND DESCRIPTION		PREMIUM NORMAL	OPTIMUM	TERMO PRESTIGE LUX
	Customized sidelight	Price given individually		
	BiColour single door Only with Termo frame	Price given individually set (door leaf + frame)		
	BiColour double doors Doors in a different colour from the outside, and a different one from the inside Only with Termo frame	Price given individually set (door leaf active + passive door leaf + frame)	-	-
	BiColour sidelight / BiColour dostawka nieotwierana Sidelight in a different colour from the outside, and a different one from the inside. Only with Termo frame	Price given individually		
	BiColour of additional element For example, frame extensions in another veneer from the outside, in a different veneer from the inside. Applies to 1 piece regardless of the length of each type of extension and connector 90°.	Price given individually		
	DuoColour Wing of two different colors on the one hand wings. Available one or both sides in the designs 25, 26, 30, 37, 38, 41	Price given individually		
	One-way mirror	Price given individually*		
	P4 anti-burglary glazing	Price given individually*		
	One Way Mirror Black Dedicated for Glass Design collection	Price given individually*		
	Kick plate INOX or BLACK decorative element at the bottom of the door. Height: 15 cm. Colours: INOX, Black.	Price given individually		
	Cat Flaps Transparent, quiet operating flap with a special seal and magnetic closure. It has 4 entry functions. Made of plastic resistant to various weather conditions. Colors: white, brown, gray.	Price given individually		
	Cleaning and rinse liquid used for stainless steel INOX Capacity: 650 ml. Comes with a microfiber cloth. Removes dust, grease, fingerprints. It preserves the surface giving it proper protection, leaving gloss without streaks.	Price given individually		
	Door painting (frame + leaf) with RAL palette colour			
	Single colour RAL/RAL (same colour on both sides)	Price given individually		
	Bicolour RAL/RAL (different RAL inside, different RAL outside) or Bicolour RAL/veneer (RAL on one side, veneer from the other). Only with Termo frame.	Price given individually		
	Duocolour single sided (door leaf in two colours on one side with one being RAL). Only with Termo frame. Only on active leaf in case of two-leaf doors.	Price given individually		
	Sidelight frame painting with RAL palette colour			
	Single colour RAL/RAL (same colour on both sides)	Price given individually		
	Bicolour RAL/RAL (different RAL inside, different RAL outside) or Bicolour RAL/veneer (RAL on one side, veneer from the other).	Price given individually		

*In case of sidelights - extra payment based on m² surface of the whole sidelight or a singular extra payment in case of a door leaf.
Glass available for selected designs - please contact your Sales Department.



ACCESSORIES FOR AN ADDITIONAL CHARGE

NAME AND DESCRIPTION		PREMIUM NORMAL	OPTIMUM	TERMO PRESTIGE LUX
	Additional TERMO elements painting with RAL palette colour Applies to a single piece, regardless of length of extension or 90° connector			
	Single colour RAL/RAL (same colour on both sides)			Price given individually
	Bicolour RAL/RAL (different RAL inside, different RAL outside) or Bicolour RAL/veneer (RAL on one side, veneer from the other).			Price given individually
	Side panel painting with RAL palette colour Applies to every type of a side panel regardless of dimensions			
	Single colour RAL/RAL (same colour on both sides)			Price given individually
	Bicolour RAL/RAL (different RAL inside, different RAL outside) or Bicolour RAL/veneer (RAL on one side, veneer from the other).			Price given individually
	Frame painting with RAL palette colour Frame in standard colour			
	Single colour RAL/RAL (same colour on both sides)			Price given individually
	Bicolour RAL/RAL (different RAL inside, different RAL outside) or Bicolour RAL/veneer (RAL on one side, veneer from the other).			Price given individually
	Door leaf painting with RAL palette colour Frame in standard colour			
	Single colour RAL/RAL (same colour on both sides)			Price given individually
	Bicolour RAL/RAL (different RAL inside, different RAL outside) or Bicolour RAL/veneer (RAL on one side, veneer from the other).			Price given individually
	Duocolour single sided (door leaf in two colours on one side with one being RAL). Only with TERMO frame. Only on active leaf in case of two-leaf doors.			Price given individually
	Duocolour both sided (door leaf in two colours on both sides with one being RAL). Only with TERMO frame. Only on active leaf in case of two-leaf doors.			Price given individually


TYPES OF FRAMES

EACH FRAME HAS A SEAL IN STANDARD

Frame Termo Prestige




Technical drawing




Frame Termo Optimum




Technical drawing



Frame Termo Premium




Technical drawing



Frame "9"
Premium / Normal




Technical drawing



Frame "11"
Premium / Normal




Technical drawing



Frame "12"
Optimum




Technical drawing






DOOR SIZES

Dimension layout for doors with "11", "12", TERMO and TERMO PRESTIGE frames



Dimension layout for doors with "9" frame



PREMIUM | NORMAL

WIDTH	LEAF HEIGHT IN REBATE H _s [MM]	LEAF WIDTH IN REBATE S _p [MM]	TOTAL FRAME HEIGHT H _c [MM]		TOTAL FRAME WIDTH S _c [MM]		HEIGHT OF THE OPENING IN THE WALL (WITH A READY FLOOR) H° [MM] Provides 10 mm clearance mounting			HEIGHT OF THE OPENING IN THE WALL (WITH A READY FLOOR) S° [MM] Provides 20 mm clearance mounting		
			FRAME 11, 9	FRAME TERMO	FRAME 11, 9	FRAME TERMO	FRAME 11	FRAME 9	FRAME TERMO	FRAME 11	FRAME 9	FRAME TERMO
◀80N▶	2015	777	2070	2080	858	875	2080	2050	2090	878	818	895
◀80▶	2015	827	2070	2080	908	925	2080	2050	2090	928	868	945
◀90N▶	2015	877	2070	2080	958	975	2080	2050	2090	978	918	995
◀90▶	2015	927	2070	2080	1008	1025	2080	2050	2090	1028	968	1045
◀100▶	2015	1027	2070	2080	1108	1125	2080	2050	2090	1128	1068	1145
◀110▶	2015	1131	2070	2080	1213	1230	2080	2050	2090	1233	1170	1250
◀120▶	2015	1231	2070	2080	1313	1330	2080	2050	2090	1333	1270	1350
◀130▶	2015	1331	2070	2080	1413	1430	2080	2050	2090	1433	1370	1450
◀140▶	2015	1431	2070	2080	1513	1530	2080	2050	2090	1533	1470	1550
◀150▶	2015	1531	2070	2080	1613	1630	2080	2050	2090	1633	1570	1650
◀160▶	2015	1631	2070	2080	1713	1730	2080	2050	2090	1733	1670	1750

OPTIMUM

			FRAME 12	FRAME TERMO						
◀80N▶	2015	801	2087	2100	884	911	2097	2110	904	931
◀80▶	2015	851	2087	2100	934	961	2097	2110	954	981
◀90N▶	2015	901	2087	2100	984	1011	2097	2110	1004	1031
◀90▶	2015	951	2087	2100	1034	1061	2097	2110	1054	1081
◀100▶	2015	1051	2087	2100	1134	1161	2097	2110	1154	1181

TERMO PRESTIGE LUX

			TERMO FRAME	TERMO FRAME	TERMO FRAME	TERMO FRAME
◀80N▶	2014	818	2100	933	2110	953
◀80▶	2014	868	2100	983	2110	1003
◀90N▶	2014	918	2100	1033	2110	1053
◀90▶	2014	968	2100	1083	2110	1103

WIKĘD



TEL. 58 678 00 98
FAX. 58 678 01 77



UL. WIELKI LAS 19
84-242 LUZINO



WWW.WIKED.PL

The offer presented in the previous edition of this WIKĘD exterior doors catalogue requires prior verification. This publication is for information purposes only and does not constitute an offer. Manufacturer reserves the right to make errors and changes without earlier information. Prices contained within are suggested by manufacturer and not binding in distribution points.